

400 LB RATED GEAR

400 LB. RATED GEAR MUST BE PURCHASED AS A KIT (IE: BODY BELT, WPFR, CLIMBERS, ETC.) IN ORDER TO ACHIEVE THE 400 LB. RATING.



**Patent-Pending Adjustable
 4 D-Ring Body Belt™
 20192CMQ400**

The revolutionary patent-pending Adjustable 4 D-Ring Body Belt™ offers an adjustable man-rated upper belt strap and an adjustable lower work positioning D-piece that allows the user to customize the size of the body belt at any given moment.

Now rated to 400 lbs.

- This belt is perfect for those who work in areas of the country where there are large temperature swings - when one part of the day or season you could be wearing only FR pants and shirt, next you could be wearing only FR pants and shirt, then next you could be wearing heavy-duty Carhart's. Having an adjustable belt allows the user to adjust for comfort and practicality.
- This belt is also great for those entering the trade who may either lose weight during line school or gain weight throughout their career.



**Short Back
 Mobility Belt™
 20192MQ400**

This revolutionary patented 4 D-Ring body belt offers a man-rated upper belt strap that is bound to the lower work positioning strap by 1 3/4" web.

Now rated to 400 lbs.

Features:

- Ultimate mobility and freedom of movement.
- The four D-Ring belt supports the use of wood pole fall restriction devices, like the New Buckingham EZ Squeeze™.
- Your back will thank you for the fully padded 7" short back.
- 4 stacked D-Rings (patented).
- Fully padded high back wrapped in high-quality ultra-soft leather for that instant "broke-in" feel.



**BuckAlloy™ Matte Alloy
 Climbers with Foot Straps
 A94089AQ400-MS**

The BuckAlloy™ aluminum climbers are the most durable aluminum climber in the industry and most cost-effective lightweight climbers made in the USA. These climbers provide strong, lightweight comfort for total confidence while climbing.

Now rated to 400 lbs.

Features our patent GRiP™ Technology:

- Keeps the gaff pointed toward the heart of the pole.
- Aids in preventing cutouts, allowing for better, more comfortable setting of the foot and arch.
- The GRiP™ Technology also allows optimum gaff placement on the pole and promotes ease of climbing.



**Big Buck™ Wrap W/Cinch Loop &
 Angled Insert for BuckAlloy™ Climbers
 32021CQ400**

The Big Buck™ Wrap pad is a combination of your two favorite climber pads. We have taken the adjustability of the hook and loop wrap pad, the increased surface area of the Big Buck™ pad and added a moisture wicking Dri-Lex lining. Model 32021CQ400 is made to fit BuckAlloy™ Aluminum Climbers.

Now rated to 400 lbs.

- Increased surface area to distribute pressure.
- A thick comfortable pad.
- Moisture wicking dri-lex lining.
- Cinch loop to provide an extra tight fit.
- Rolled edge to prevent chafing.



**Cushion Wrap Pad with
Cinch Loop & Angled Insert for BuckAlloy™ Climbers
35021CQ400**



The Buck Cushion Wrap Pads for the BuckAlloy™ climbers were designed to easily be put on, taken off, and to adjust, making for a more pleasant and comfortable day in the field.

Now rated to 400 lbs.

The Buck Cushion Wrap Pad for the BuckAlloy™ features:

- A 4" angled design.
- Metal insert designed to keep the climber shank stationary to reduce chafing to the leg.
- Cinch loop which allows you to secure and fasten the pads for a tight fit.
- 3/4" cushion padding for comfort.
- Maximum adjustability.
- Rolled edge to prevent chafing.

**BuckSqueeze™ for Distribution
483DQ400**



The **483DQ400** is used for distribution poles and features a durable outer neoprene strap with a steel cam buckle for adjustability and an inner nylon web strap. The inner strap is equipped with two steel locking snap hooks for attachment to a body belt.

Now rated to 400 lbs.

**BuckSqueeze™ for Transmission
484TQ400**



The **484TQ400** is used for transmission poles and features a durable outer neoprene strap with a steel cam buckle for adjustability and an inner nylon web strap. The inner strap is equipped with two steel locking snap hooks for attachment to a body belt.

Now rated to 400 lbs.

**SuperSqueeze™ with
Rope Inner Strap for Distribution
488RQ400**



The lightweight design of the SuperSqueeze™ offers superb wood pole fall restriction and offers easy one-handed outer strap adjustment by incorporating Buckingham's WebGrab™ which allows adjustment with just a flick of the wrist.

Now rated to 400 lbs.

- Features the same easy one-handed adjustment on the inner strap with the BuckGrab™.
- Can easily be configured to use a rope or web strap based on the user's preference.
- Only one disconnect point when climbing over an obstruction.
- All straps have red warning centers.
- 3,600 lb. gate rated carabiners for body belt attachment.
- Features a permanently attached BuckWheel on the outer neoprene strap.
- Rated up to a Class 1 65' Pole / 50" Circumference.

**SuperSqueeze™ with
Rope Inner Strap for Transmission
488RTQ400**



The lightweight design of the SuperSqueeze™ offers superb wood pole fall restriction and offers easy one-handed outer strap adjustment by incorporating Buckingham's WebGrab™ which allows adjustment with just a flick of the wrist.

Now rated to 400 lbs.

- Features the same easy one-handed adjustment on the inner strap with the BuckGrab™.
- Can easily be configured to use a rope or web strap based on the user's preference.
- Only one disconnect point when climbing over an obstruction.
- All straps have red warning centers.
- 3,600 lb. gate rated carabiners for body belt attachment.
- Features a permanently attached BuckWheel on the outer neoprene strap.
- Rated up to a Class H6 125' Pole / 90" Circumference.

**SuperSqueeze™ with
Woven Inner Strap
488MWMCQ400**

The lightweight design of the SuperSqueeze™ offers superb wood pole fall restriction and offers easy one-handed outer strap adjustment by incorporating Buckingham's WebGrab™ which allows adjustment with just a flick of the wrist.



Now rated to 400 lbs.

- Features the same easy one-handed adjustment on the inner strap with the BuckGrab™.
- Can easily be configured to use a rope or web strap based on the user's preference.
- Only one disconnect point when climbing over an obstruction.
- All straps have red warning centers.
- 3,600 lb. gate rated carabiners for body belt attachment.
- Features a permanently attached BuckWheel on the outer neoprene strap.
- Rated up to a Class H6 70' Pole / 70" Circumference.

**EZ Squeeze™ with
Rope Inner Strap for Distribution
490RQ400**

The New Lightweight Design EZ Squeeze™ offers superb wood pole fall restriction capabilities and easy one-handed outer strap adjustment through use of Buckingham's patent pending WebGrab™ with the New BuckHorn™ Adjustment Lever. This new component allows EZ length adjustment of the outer strap, without the need for the user to remove their weight from the device. With just a flick of the wrist, users can adjust the strap in and just tapping the BuckHorn™ to adjust out.



Now rated to 400 lbs.

- The New EZ Squeeze™ also features a loop handle on the outer strap that provides a more ergonomic position for the user's hands while ascending or descending.
- Through use of the BuckGrab™, the EZ Squeeze™ features easy one-handed adjustment of the inner rope strap, and based on user's preference, can easily be configured to use a rope or web strap.
- One point of disconnect when climbing over an obstruction.
- Red warning center within straps to facilitate visual inspection for excessive wear.
- 3,600 lb. gate rated carabiners for body belt attachment.
- Features a permanently attached BuckWheel on the outer neoprene strap.
- Rated up to Class 1, 65' pole / 50" Circumference.

**EZ Squeeze™ with
Woven Inner Strap for Distribution
490W2Q400**

The New Lightweight Design EZ Squeeze™ offers superb wood pole fall restriction capabilities and easy one-handed outer strap adjustment through use of Buckingham's patent pending WebGrab™ with the New BuckHorn™ Adjustment Lever. This new component allows EZ length adjustment of the outer strap, without the need for the user to remove their weight from the device. With just a flick of the wrist, users can adjust the strap in and just tapping the BuckHorn™ to adjust out.



Now rated to 400 lbs.

- The New EZ Squeeze™ also features a loop handle on the outer strap that provides a more ergonomic position for the user's hands while ascending or descending.
- Through use of the BuckGrab™, the EZ Squeeze™ features easy one-handed adjustment of the inner rope strap, and based on user's preference, can easily be configured to use a rope or web strap.
- One point of disconnect when climbing over an obstruction.
- Red warning center within straps to facilitate visual inspection for excessive wear.
- 3,600 lb. gate rated carabiners for body belt attachment.
- Features a permanently attached BuckWheel on the outer neoprene strap.
- Rated up to Class 1, 65' pole and 50" circumference.

**EZ Squeeze™ with
Woven Inner Strap for Transmission
490TW2Q400**



The New lightweight Design EZ Squeeze™ offers superb wood pole fall restriction capabilities and easy one-handed outer strap adjustment through use of Buckingham's patent pending WebGrab™ with the New BuckHorn™ Adjustment Lever. This new component allows EZ length adjustment of the outer strap, without the need for the user to remove their weight from the device. With just a flick of the wrist, users can adjust the strap in and just tapping the BuckHorn™ to adjust out.

Now rated to 400 lbs.

- The New EZ Squeeze™ also features a loop handle on the outer strap that provides a more ergonomic position for the user's hands while ascending or descending.
- Through use of the BuckGrab™, the EZ Squeeze™ features easy one-handed adjustment of the inner rope strap, and based on user's preference, can easily be configured to use a rope or web strap.
- One point of disconnect when climbing over an obstruction.
- Red warning center within straps to facilitate visual inspection for excessive wear.
- 3,600 lb. gate rated carabiners for body belt attachment.
- Features a permanently attached BuckWheel on the outer neoprene strap.
- Rated up to a Class H6 125' Pole / 90" Circumference.

**BuckAdjuster™
9Q400-8**



The BuckAdjuster™ is an additional positioning lanyard (APL) that features the patent pending BuckGrab™ and a 90-degree twist in the eye of the cam for use with a line workers body belt.

Now rated to 400 lbs.

Features:

- The BuckAdjuster™ has a one of kind full red core wear indicator.
- Steel double locking snap hook on one end and a stitched eye on the other end.
- Clear protective tube to help provide maximum rope life.

**BuckAdjuster™ with
Super Fabric
9A4Q400-8**



A lightweight work positioning lanyard that features a micro adjuster for ease of use.

Now rated to 400 lbs.

The BuckAdjuster™ with Super Fabric features:

- A stitched eye allows the user to stow excess tail on a handline hook.
- A multicolored snap hook allows users to easily distinguish it from the snaps on the SuperSqueeze™ or BuckSqueeze™.
- A Super Fabric wear guard to protect the rope from excessive wear.
- A rubber washer prevents wear guard from getting jammed in the length adjusting device (LAD).
- It is ideal for use on towers or other steel structures and remains flexible in colder climates.

**Buck LeverJust™
9M8Q400-8**



The Buck LeverJust™ is a lightweight Adjustable Positioning Lanyard (APL) designed specifically to allow users to lengthen without removing weight from the lanyard with the use of Buckingham's all new LeverGrab™ Length Adjusting Device (LAD).

Now rated to 400 lbs.

Key features include:

- 1/2" Kernmantle rope with a red wear indicator to alert the user of excessive wear.
- The New Buck LeverGrab™ LAD easily adjusts with one hand and is fully adjustable while under load, making length adjustment easier. Meets ANSI Z359.3 standard.
- This versatile lanyard can be used for positioning, suspension, or rescue.
- For use by right or left-handed users.