



# BUCK TREE

BUCKINGHAM  
**BUCK**  
1896

Spring 2024

Safety Equipment for the Arborist  
PN: 492036

VOL. 8

---

# CONTENTS

*This mini catalog is a sampling of the thousands of products we manufacture.  
For our full line, please visit [BuckinghamMFG.com](http://BuckinghamMFG.com)*

- 03** NEW PRODUCTS
- 06** SADDLES / BELTS
- 10** CLIMBERS / PADS /  
ACCESSORIES
- 15** SRT/DRT PRODUCTS
- 17** FALL PROTECTION /  
CONNECTORS
- 20** RIGGING
- 23** BUCKET TRUCK
- 27** EQUIPMENT BAGS /  
ROPE BAGS
- 31** SAW SCABBARDS





# NEW PRODUCTS



## ArborAir™ Tree Climber Kit ARBORAIRALKIT

The ArborAir™ Tree Climber Kit is our lightest and most comfortable climber kit to date! Weighing just 5 lbs. per pair, making it nearly 1 lb. lighter than any existing Buckingham Climber Kits. Ergonomically designed to relieve pressure points and direct pressure to non-sensitive areas of the leg while climbing. This was accomplished using both a dual layer of compression padding and a lightweight copolymer cuff that achieve the ultimate fit for comfort.

### FEATURES INCLUDE:

- More than 4 lbs. lighter than the closest competition!
- The ArborAir™ cuff is a one-piece design removing the need for additional components traditionally seen on our other kits.
- New weighted web-end designed to create grip, rigidity, and add weight to the end of cinch strap making it easier and faster to cinch and uncinch pad.
- 4" wide upper strap with a cinch loop ensures a secure and snug fit.
- Patented GRIP™ (Gaff Ridge Position) technology keeps gaff pointed toward the heart of the tree, promoting ease of climbing and a more natural upright position.
- Gaff length: 1 ¾"
- 350 lb. user weight capacity. Meets ASTM F887 standard.

### HOW DOES IT COMPARE TO OTHER KITS?

**ARBORAIR™**  
5 LBS.

**BUCKALLOY™ BLACK CLIMBER KIT**  
6.6 LBS.

**CLOSEST COMPETITOR**  
9 LBS.



## ArborAir™ Wrap Pad ARBORAIR

The ArborAir™ Wrap Pad is a state of the art, lightweight climber pad constructed from a dual layer of compression padding, and a lightweight cuff to accomplish the ultimate fit. Our lightest and most comfortable pad yet!

### FEATURES INCLUDE:

- 4" wide upper strap with a weighted web-end that creates grip, rigidity, and adds weight to the end of cinch strap making it easier and faster to cinch and uncinch, ensuring a snug fit.
- The dual layer of compression padding, and lightweight cuff were ergonomically shaped to relieve pressure points and direct pressure to non-sensitive areas of the leg.
- A ¼" thicker than existing Buckingham Climber Pads.
- The ArborAir™ cuff is a one-piece design removing the need for additional components traditionally used in current Buckingham Pads.
- No insert necessary.
- Compatible with all BuckAlloy™ Aluminum Climbers.



## Buck Stability™ Saddle 1371

- A modernized version of Buckingham's popular 1371 saddle, The Buck Stability™, is the future of economy saddles!
- Compression molded back pad for increased support and comfort.
- Lightweight, aluminum quick-connect waist & leg straps for quick, easy donning.
- 4 aluminum D-rings for work positioning needs.
- Five accessory loops to stow gear while working aloft.
- 3 small accessory dee rings are available for suspender attachments.
- Padded batten seat for added comfort.
- Water & moisture resistant construction.



**The BuckCraft™  
17911**

- Our lightest saddle we have ever developed!
- Provides you with comfort and all the necessary features.
- Great saddle option for someone just entering the industry or for someone who wants to start mastering the craft!
- Easy one-handed adjustment.
- Lightweight, breathable, easily retro fits to Buckingham Saddles with rated full body harness attachment points.
- Meets all applicable OSHA standards.

**TreEZSqueeze™  
590LR1-120**

Introducing the new TreEZSqueeze™, the best option in the tree care industry for fall restraint work while positioned in a tree. Ideal for use during takedowns and when a tree is not accessible by a bucket or any other means. The TreEZSqueeze™ is the tree care industry's first Engineered System designed, tested, and proven to prevent falls in the event of a gaff out while working on a spar.



**FEATURES INCLUDE:**

- Easy one-handed outer strap adjustment using Buckingham's patented WebGrab™ with the new BuckHorn™ Adjustment Lever. Simply tap the BuckHorn™ to adjust out.
- Easy length adjustments for different spar diameters.
- Reinforced outer strap handle promotes a more natural and ergonomic climbing motion.
- Rigid outer nylon strap is easy to use. A simple flip of the wrist allows the climber to maneuver and ascend efficiently and safely.
- Easily switched out for users that prefer the WebGrab™ on their left or right side.
- The serrated roto snap will grab the tree in the event of a gaff out no matter if the tree is dead, has no bark, or is ash from being burnt.
- Nothing ever needs to be untied or changed out while climbing, which ELIMINATES THE POTENTIAL EXPOSURE TO FALLS.
- Aluminum triple locking carabiner for saddle connection.
- 3,600 gate-rated hardware.



**Featherweight Harness  
6398JQ1**


- Buckingham's ACT (Anti Chafe Technology) Collar™ features folded, stitched, and leather lined shoulder straps to reduce neck chafing while working overhead, creating a much more comfortable day on the job.
- Lightweight – just 2.8 lbs.
- Features a hook and loop chest strap and aluminum quick connect leg strap buckles for quicker and easier donning.
- Torso adjustment features no cumbersome web tails.



**Harness-Lanyard Combo  
U64937Q6**

- Universal in size (fits Medium – X-Large)
- Features interlocking chest and leg buckles.
- Includes a 4 1/2 foot BuckYard lanyard.

**OUR LIGHTEST HARNESS EVER!**



Scan the QR code to watch a video of the PeerCheck™ in action!

**PeerCheck™  
PEERCHECK-1**

- Buckingham PeerCheck™ is a simple, inexpensive and portable alarm system that notifies the worker and crew if a lanyard connection to the bucket truck anchor point has been inadvertently forgotten.
- PeerCheck™ is the equivalent to your seat belt alarm in your car.
- While there are other options currently available, PeerCheck™ is inexpensive, simple to use, and portable.



**The BuckPack™ Pro  
4378**

- Constructed from heavy-duty water-resistant vinyl and cordura material.
- 12 separate rows of Molle loops throughout the bag.
- Removable gear garage for all your hardware and devices.
- Numerous storage and access options that will not be found on any other gear bag.

Also available without the Gear Garage™  
**4377**



**Gaff Mounted Ascender for BuckAlloy™ Climbers**  
500461



**Climber Mounted Ascender for BuckAlloy™ Climbers**  
500471


**Mounted Ascender for BuckAlloy™ Climbers**

*\*Does Not Include Climbers\**

Designed to allow the user the convenience of wearing their climbers and ascenders both at the same time! Ascenders may be used in various climbing methods, such as Single Rope Technique (SRT), Double Rope Technique (DRT), or a Rope Walking Technique when used in conjunction with a typical Chest Ascender / Hitch Climbing System

**FEATURES INCLUDE:**

- Coned cam-face for reliable grip with minimal rope wear.
- Tuned cam-spring for smooth and secure operation.
- Removable foot-operable cam lever.




**SuperSaver™**  
64-6

Developed in conjunction with Jamie Chambrelli and the team at ArborMaster®. A truly revolutionary, patent-pending, double hole friction saver and canopy anchor system that will change the way you navigate the canopy forever! Our goal during development was to design a product that would provide you with all the standard adjustable Friction Saver functions.

- Adjustable Friction Saver
- Multi-Rope System: Two Line Configurations. Use SRT & DRT systems in-line & used on a single anchor device.
- Multi-Leg System: Spider Legging.
- Numerous SRS anchoring methods.
- Choking Spar Setup.
- Cinching Spar Setup.
- FlintLocker Canopy Anchor: Floating Anchor Device.
- Dedicated Rescue Line: When using Multi-Rope Setup.
- Redirects.
- No crash Retrieval.

Scan the QR code to view the video!



**SuperBase Anchor**  
65-10

The SuperBase™ Anchor developed with the team at ArborMaster® Outfitters is an adjustable Basal / Base anchor that is used for anchoring an Arborist's climbing line at the base of the tree and may be set up in multiple configurations. Constructed from 7/16" rope with 6" stitched pockets for an easy and safe connection!

- 16 stitched pockets total that allows the user to maximize adjustability.
- Use w/figure 8 on a bite stopper knot & spliced eye capture configurations.
- Multiple Belay configurations including knot pass-through options.
- Extremely versatile tool with endless options as a Basal Anchor system.

Setting up the anchor at the base of the tree also allows the climber to rig for rescue, allowing for a ground-based rescue in the event of an emergency.

**Applications:**

- SRT Climbing.
- Works well with a Port-A-Wraps or other friction-brake lowering devices.
- Rescue – ground-based.



**Figure 8 on a Bite Stopper Knot**



**Spliced Eye Capture**



**Belay Configuration**



**Passing Sheet Bend Knot**



**The BuckTop™**  
U6270

The BuckTop™ is an industry leading SRT Chest Harnesses that is equipped with a suspender setup option. This allows The BuckTop™ to be used in conjunction with a saddle or can be used as a standalone SRT chest harness as well. Developed in conjunction with the team at ArborMaster®, we designed and engineered the BuckTop™ to be the most breathable, comfortable, and feature packed SRT chest harness available on the market.

**FEATURES INCLUDE:**

- SRT chest harness that was designed to offer optimal comfort, flexibility, and options while climbing via single-rope technique.
- Elastic Retention allows optimal flexibility and movement to be as comfortable as possible.
- Lightweight, breathable and flexible padding that offers experience not found anywhere else in an SRT chest harness.
- Easy length and size adjustment at front, back and abdominal area.
- Easily add suspender straps to be used in conjunction with SRT harness or remove via QC buckle to use SRT harness stand alone.
- Optimal position for your climbing system with numerous connection points to find your sweet spot.







# 01 SADDLES/ BELTS

## Buck Stability™ Saddle

**NEW**

1371

A modernized version of Buckingham's popular 1371 saddle, The Buck Stability™, is the future of economy saddles! The Buck Stability™ is an economy saddle that has all the benefits of the original economy saddles, but with exponential improvements to comfort and functionality, all while remaining affordable.



### FEATURES INCLUDE:

- Compression molded back pad for increased support and comfort.
- Lightweight, aluminum quick-connect buckle waist and leg straps for quicker and easier donning.
- 4 aluminum D-rings for work positioning needs.
- Five accessory loops to stow gear while working aloft.
- 3 small accessory dee rings are available for suspender attachments.
- Padded batten seat for added comfort.
- Water & moisture resistant construction.

## BuckCraft™ Saddle

**NEW**

17911

The BuckCraft Saddle is our lightest saddle we have ever developed! The BuckCraft provides you with comfort and all the necessary features. Great saddle option for someone just entering the industry or for someone who wants to start mastering the craft!



### FEATURES INCLUDE:

- Specially designed leg pads to provide proper support and comfort. Pads stay out of groin area and insure proper blood flow to legs.
- Quick Connect Buckles at waist and legs.
- Cool Flow padding at legs and backpad.
- Two accessory snaps for lanyard storage or handsaw/chainsaw storage.
- Large gear loops throughout.
- Easy suspension length adjustment.

### The Navigator Saddle

1470

A generation of saddle development all packed into one saddle. Designed and engineered from the start by combining 100+ years of saddle R&D and a goal to introduce the most versatile and comfortable saddle to ever hit the market. For a replacement double rope bridge, order model **W7-46**.



#### FEATURES INCLUDE:

- Industry leading support and comfort.
- Specially designed air-flow leg pads to properly support you while suspended or positioning.
- Dual Rope Bridge or Option for Segmented pocket Dual Rope Bridge.
- Rated attachment points for using the Retro-Y harness for use in the bucket.
- Specially designed DRT and SRT soft connection points for optimized positioning of your climbing system,



### The Agility™ Saddle

1480

The Buckingham Agility™ saddle was designed in conjunction with Jamie Chambrelli, and the team at ArborMaster® Training Inc. Jamie is a lead instructor with ArborMaster®, Connecticut Licensed Arborist and production tree climber. During development, we looked at feedback around the industry including proper fit, adjustment slippage, mobility of suspension systems, proper support at legs and back, lower hardware options and other attachment options throughout the suspension, and a plethora of other issues with saddles around the industry. The Agility™ saddle was designed and built for "Work" with a focus on comfort, durability, mobility, and functionality. For a replacement rope bridge, order model **W5-46**.

#### FEATURES INCLUDE:

- The most feature packed and comfortable saddle on the market including all the features needed for the old school climber and the modern climber.
- New specially designed back pad for maximized support to prevent lower back injuries.
- Industry-first specially designed Leg Pad/Suspension system.
- New lower rigging plate hardware designed.
- Industry-first Segmented Rope Bridge/Suspension Bridge.
- "Stay Put" waist and leg straps.



### Master 5.0 Saddle

1490

Developed hand-in-hand with the team at ArborMaster and is top-of-the-line tree saddle. The body is padded for maximum comfort. Features 9 stationary-rated attachment points along with two d-rings for anything from chainsaw lanyards to blood stopping kits. A floating bridge provides for optimum maneuverability, especially in SRT systems. Has stiffer leg pads (to keep pad where you want it). Meets ASTM F887. Batten Seat available. Available with a tongue buckle: **1490T**.

*Helpful Hint: When your new Buckingham Master 5.0 is right out of the box and the webbing is still stiff, put your back against a tree and pull straps to tighten your saddle around your waist.*

ERGOVATION™ is a brand name of Buckingham MFG, developed in conjunction with C.O.R. Ergonomic Solutions.



**Ergo Pro Saddle  
17905**

This saddle is the latest edition in the Ergo line and was developed between Buckingham Manufacturing and certified arborist Ed Carpenter and his physical-therapist sibling Dr. Amanda Carpenter. The Ergo Pro fits a range of climbing styles and motions. The bridge is made of durable and strong kernmantle rope, easily interchangeable additional bridges can be added. Includes two steel d-rings and numerous rigid accessory loops located in various positions

on the saddle, providing endless options of gear storage and custom ability. Small accessory carabiners and snaps on the sides are perfect for your handsaw. Strings on back of the saddle allow for storage of a first aid kit. The back and leg pads have moisture-wicking Drilex material so the user remains, cool, dry, and comfortable. The Ergo Pro meets the ASTM F887 standard. Available in Small, Medium, Large, & X-Large.



**Ergo Pro Saddle/Harness  
17905H4**

Rated for Fall Arrest so it can be used for fall protection in a bucket truck. This combo is ideal for those who like to transition from the bucket to the tree all while keeping you in compliance with OSHA standards. The Ergo Pro was designed to fit a range of climbing styles and motions and is one of our lightest saddles available making this saddle-harness combo extremely versatile and one of the most well-thought-out products on the market.

**An industry leading saddle/harness combo that is great for transferring from the bucket to the tree.**

The two adjustment points on the dorsal pad allow for users with larger necks to adjust out, or in for those with smaller necks. The adjustment feature allows for zero or extremely limited rubbing of the harness webbing on areas of your neck and shoulders and provides near-perfect adaptability for all kinds of body types. The Ergo Pro meets the ASTM F887 standard. Available in Small, Medium, Large, & X-Large.



**Ergovation Saddle  
16906**

A patented ergonomically designed saddle with a fully modular design for customized fit and comfort with an ergonomically designed back pad to contour the pelvis and support the lower back. Load distributing design for decreased pressure on the pelvis with increased padding

**Ergonomic design, extreme comfort, 12 attachment points; great for removals; most highly developed saddle on the market.**

in the pelvis and hip region. Features a waist tensioner and customize-able lumbar support for improved fit, abdominal stability and helps maintain optimal posture when climbing. This saddle has 12 different attachment points, the most of any that we offer.



**Alta Verde Saddle  
179061**

The new BuckTree™ Alta Verde saddle is modeled after our popular Ergovation® saddle which brings the best of comfort, durability, fit, and function into a saddle. Designed by arborist for arborist!

**FEATURES INCLUDE:**

- Adjustable rope bridge with paws allowing for multiple connecting possibilities.
- Chainsaw attachment snaps and multiple attachment points.
- Quick connect buckles at the waist and leg straps. Lightweight aluminum work positioning D-Rings.
- Full floating suspension ring.
- 8 durable accessory loops.
- Contoured back/leg padding with sweat-wicking material.
- Abdominal stabilization strap with lumbar back support
- Fully adjustable waist/leg straps for ideal fit.



ACCESSORIES

**NEW**



**The BuckTop™  
U6270**

The BuckTop™ is an industry leading SRT Chest Harnesses that is equipped with a suspender setup option. This allows The BuckTop™ to be used in conjunction with a saddle or can be used as a standalone SRT chest harness as well. Developed in conjunction with the team at ArborMaster®, we designed and engineered the BuckTop™ to be the most breathable, comfortable, and feature packed SRT chest harness available on the market.

**FEATURES INCLUDE:**

- SRT chest harness that was designed to offer optimal comfort, flexibility, and options while climbing via single-rope technique.
- Elastic Retention allows optimal flexibility and movement to be as comfortable as possible.
- Lightweight, breathable and flexible padding that offers experience not found anywhere else in an SRT chest harness.
- Easy length and size adjustment at front, back and abdominal area.
- Easily add suspender straps to be used in conjunction with SRT harness or remove via QC buckle to use SRT harness stand alone.
- Optimal position for your climbing system with numerous connection points to find your sweet spot.



**Blood Stopper  
4600D1G9**

Quickly attaches to any Buckingham saddle or body belt. Features four different attachment types: D-ring, snap, web loop or snap/web loop combo. Contains one large blood stopper to control bleeding.



**BuckCarrier™ Chainsaw Carrier  
2402B**

The lowest profile chainsaw hook on the market, its compact design makes it nearly impossible to get caught on limbs and branches like other chainsaw carriers. WLL is 15 lbs. Fits most popular saddles currently on the market.



**BuckCarrier™ Chainsaw Carrier  
2402BQ1**

The BuckCarrier™ Chainsaw Carrier Kit features our new **2402B** BuckCarrier™ Chainsaw Carrier and is paired with a 1" nylon strap that measures 8" in length and may be girth hitched up to a 3" belt strap, 4.5" tall, 3/4" wide and 1.75" deep. WLL equivalent to 15 lbs. Fits most popular saddles currently on the market.

**NEW**




# 02 CLIMBERS/ PADS/ ACCESSORIES

## CLIMBER STYLES

Designed to be used by a person with a maximum weight of 350 lbs. when fully equipped.

**Non Contoured Shank**




**Contoured Shank**

Provides ankle bone relief



**Twisted Shank\***

Designed to follow the muscle contour




**Offset Stirrup**

Places stirrup in center of foot



**Stirrup Width 4"**



\*Available on all Buckingham pole climbers. Add a 'T' suffix; e.g. T94089AT.

### Comfort & Fit for Narrow or Standard Width Stirrup

STIRRUP TYPE	STIRRUP WIDTH	SHORT SLEEVES	LONG SLEEVES
Standard	4 1/2"	15 3/4" to 18 1/2"	18 3/4" to 21 1/2"
Narrow	4"	14 1/2" to 17 1/4"	17 1/4" to 20 1/4"

### TO SIZE CLIMBERS

- Measure boot upper at the widest part of arch for correct stirrup width.
- With climber sleeve and pad attached, locate climber 1/2" below inside knee bone, mark location on the climber with a pencil (never scribe a line into the climber) & secure each sleeve with two screws per climber.

Note: For maximum mobility, pull pant leg up before fastening straps.

**\*\*All climbers also available with Pole Gaffs upon request\*\***



**HOW DOES IT COMPARE TO OTHER KITS?**

**ARBORAIR™**  
5 LBS.

**BUCKALLOY™ BLACK CLIMBER KIT**  
6.6 LBS.

**CLOSEST COMPETITOR**  
9 LBS.

**ArborAir™ Tree Climber Kit**

**ARBORAIRALKIT**

The ArborAir™ Tree Climber Kit is our lightest and most comfortable climber kit to date! Weighing just 5 lbs. per pair, making it nearly 1 lb. lighter than any existing Buckingham Climber Kits. Ergonomically designed to relieve pressure points and direct pressure to non-sensitive areas of the leg while climbing. This was accomplished using both a dual layer of compression padding and a lightweight plastic cuff that achieve the ultimate fit for comfort.

**FEATURES INCLUDE:**

- More than 4 lbs. lighter than the closest competition!
- The ArborAir™ cuff is a one-piece design removing the need for additional components traditionally seen on our other kits.
- New weighted web-end designed to create grip, rigidity, and add weight to the end of cinch strap making it easier and faster to cinch and uncinch pad.
- 4" wide upper strap with a cinch loop ensures a secure and snug fit.
- Patented GRiP™ (Gaff Ridge Position) technology keeps gaff pointed toward the heart of the tree, promoting ease of climbing and a more natural upright position.
- Gaff length: 1 ¾"
- 350 lb. user weight capacity. Meets ASTM F887 standard.



**New GRiP Technology™ allows for an easier and deeper cut into the tree bark.**



**BuckAlloy™ Black Tree Climber Kit**  
**A95K1V-BL**

After listening to customers who wanted a black climber, we developed a new climber kit. This new kit provides the safety and comfort you are used to with Buckingham products, but now features a popular new look, perfect for those just coming into the trade. GRiP (Gaff Ridge Position) Technology keeps gaff pointed towards the heart of the tree greatly reducing cut outs. Whether you are climbing a tree with thick bark or thin bark, the hybrid gaffs, measuring in at 2 7/16", gives the user the convenience to easily climb both.

**INCLUDES:**

- BuckAlloy™ matte black climbers.
- Black Cushion Wrap Pads with black
- Buck logo and BuckViz™ green stitching.
- Black Hook & Loop Climber Straps with
- BuckViz™ green stitching.
- BuckViz™ Magnetic Gaff Guards.

**BUCKLITE™ TITANIUM CLIMBER KITS W/GRiP**

**OUR PREMIER CLIMBER KITS!**

Weighing in at only 17 ounces, Buckingham's BUCKLITE™ Titanium Climbers with Patented GRiP Technology™ bring the best of strength, lightweight functionality, and comfort together in a climber that cannot be found elsewhere on the market. BuckLite™ Titanium Tree Climbers were already one of the most popular climbers out, now we have brought the fan-favorite & patented GRiP (Gaff Ridge Position) Technology™ to these climbers!

**FEATURES AND BENEFITS:**

- The only climber sets in our product line that includes both GRiP Technology™ and a contoured shank.
- Unmatched comfort in a Titanium climber and lightest Titanium climber available.
- Dowel & Screw design allows for easy gaff change out.
- High Strength-to-Density ratio (Strong and lightweight)
- Corrosion resistant titanium makes these climbers one of the most durable in the market
- BuckLite™ Titanium Tree Climbers are rated to 350 lbs and exceeds ASTM F887 standards
- Whether you are climbing a tree with thick bark or thin bark, the hybrid gaffs, measuring in at 2 7/16", gives the user the convenience to easily climb both.



**New GRiP Technology™ allows for an easier and deeper cut into the tree bark.**



**BuckLite™ Titanium Climber Kit w/GRiP Technology™**  
**TBG95K1V-SG**

**Includes:**

- Black cushion wrap pads with cinch loop.
- Black hook and loop climber straps.
- BuckViz™ magnetic gaff guards.



**BuckLite™ Titanium Climber Kit w/GRiP Technology™**  
**TBG95K2V-SG**

**Includes:**

- Black Big Buck™ Wrap Pads with cinch loop.
- Black hook and loop climber straps.
- BuckViz™ magnetic gaff guards.

**\*\*All climbers also available with Pole Gaffs upon request\*\***



## STEEL TREE CLIMBER KITS

The Buckingham Steel Tree Climber kit comes with industry-leading gear that is proven, durable, and cost-effective. The climbers are rated to 350 lbs. and exceeds ASTM F887 standards.

### FEATURES AND BENEFITS:

- Tree gaffs make these climbers ideal for all different types of bark on trees
- Dowel & Screw design allows for easy gaff change out.
- Hook and Loop foot straps that make putting on your climbers a breeze.
- Magnetic Gaff Guards in BuckViz™ Safety Green for easy visibility and protection for your gaffs.



**Steel Tree Climber Kit  
w/Cushion Wrap Pads  
SB95K1V-BL**

### Includes:

- Black cushion wrap pads with cinch loop.
- Black hook and loop climber straps.
- BuckViz™ magnetic gaff guards.



**Steel Tree  
Climber Kit  
SB95K2V-BL**

### Includes:

- Black Big Buck™ Wrap Pads with cinch loop.
- Black hook and loop climber straps.
- BuckViz™ magnetic gaff guards.



**Steel Tree Climber Kit W/  
Grip™ Technology & Big  
Buck™ Wrap Pads  
SBG95K2V-BL**

### Includes:

- Black Big Buck™ Wrap Pads with cinch loop.
- Black hook and loop climber straps.
- BuckViz™ magnetic gaff guards.



**Steel GRiP™ Tree Climbers  
SBG95089**

A steel tree climber that has a contoured shank, offset stirrup, and dowel & screw style replaceable gaff. Now features Buckingham's patented GRiP™ technology that keeps the gaff pointed toward the heart of the tree, which reduces cutouts and maximizes comfort. Feature **21391** Nylon Foot Straps and standard length sleeves, **9204**, adjusting from 16 1/4" to 18 3/4". Rated to 350 lbs and exceeds ASTM F887 Standards.



**ArborAir™ Wrap Pad  
ARBORAIR**

The ArborAir™ Wrap Pad is a state of the art, lightweight climber pad constructed from a dual layer of compression padding, and a lightweight cuff to accomplish the ultimate fit. Our lightest and most comfortable pad yet!

**FEATURES INCLUDE:**

- 4" wide upper strap with a weighted web-end that creates grip, rigidity, and adds weight to the end of cinch strap making it easier and faster to cinch and uncinch, ensuring a snug fit.
- The dual layer of compression padding, and lightweight cuff were ergonomically shaped to relieve pressure points and direct pressure to non-sensitive areas of the leg.
- A ¼" thicker than existing Buckingham Climber Pads.
- The ArborAir™ cuff is a one-piece design removing the need for additional components traditionally used in current Buckingham Pads.
- No insert necessary.
- Compatible with all BuckAlloy™ Aluminum Climbers.



**Quick Connect Climber Pads  
35021K1**

The quick connect buckle will shave time off your speed climb in a rodeo or simply allow you to step into your gear quicker on the jobsite. Either way this is a major time saver!

**FEATURES INCLUDE:**

- A 4" angled design.
- Metal insert designed to keep the climber shank stationary to reduce chafing to leg.
- ¾" cushion padding for comfort.
- Quick connect buckle for a simple, easy, and secure attachment.
- Compatible with Buckingham BuckAlloy™ Climbers.



**Big Buck Wrap Pad  
3202**

The Big Buck™ Wrap Pad is a combination of your two favorite climber pads. We have taken the adjustability of the hook and loop wrap pad, the increased surface area of the Big Buck™ pad and added a moisture wicking Dri-lex lining.

**MORE FEATURES:**

- Increased surface area to distribute pressure.
- Thick comfortable pad and moisture wicking Dri-lex lining.
- Features the adjustability of Hook and Loop Wrap
- Steel "C-Pad" insert for proper climber shank position.
- Rolled edge to prevent chafing.
- Compatible with Buckingham titanium & steel climbers.



**Black Continuous Wrap Pad for BuckAlloy™ Climber  
35021-BL**

Introducing the popular Cushion Wrap Pad for BuckAlloy™ Climbers with a new look! These Hook and Loop cushion wrap pads were designed to easily be put on, taken off, and adjusted.

**MORE FEATURES:**

- A 4" angled design
- Metal insert designed to keep the climber shank stationary to reduce chafing to the leg.
- ¾" cushion padding for comfort.
- Continuous wrap. Great for rodeo competition!
- Maximum adjustability.



**Big Buck™ Wrap Pad for BuckAlloy™ Climber  
32021C**

Adjustable hook and loop with increased pad surface area and a moisture wicking Dri-lex lining. Has Hook and Loop Wrap Steel "C-Pad" insert for proper climber shank position, cinch loop to provide an extra tight fit, and a rolled edge to prevent chafing. For Big Buck™ Wrap Pads for BuckAlloy™ climbers with no cinch use **32021**. Use *p/n 3202C for Buckingham Steel and Titanium Climbers.*



**Cushion Wrap Pad for BuckAlloy™ Climber  
35021C**

An angled style hook and loop pad that a continuous wrap and a metal insert to fit the BuckAlloy™ Aluminum Climbers. Measures 4" W with ¾" padding. Use **3502C** for *Buckingham Steel and Titanium Climbers.*



**Climber Footplate  
35033**

Climber footplates compatible with any steel or titanium climber. Provide added comfort when standing on a pole. Two plates, one with a rubber sole that faces down, fasten together on the climber stirrup with two screws. Not for use with aluminum climbers.



**Climber Footplate for  
BuckAlloy™ Climbers  
350331**

Compatible w/BuckAlloy™ climbers. Added comfort when standing on a pole. Two plates, one with a rubber sole that faces down, fasten together on the climber stirrup with two screws. Not for use with Steel and Titanium climbers.



**Tree Gaff  
Maintenance Kit  
6026**

Tools for inspecting and performing tree gaff maintenance. Includes smooth single cut file (6058), tree gaff gauge (6306) and finishing hone (6501).



**Tree Gaff Gauge  
6306**

Designed to correctly shape gaffs that are essential for climbing and should be your guide to proper shaping. It is compact, uncomplicated, revealing and indispensable.



**BuckGuard™ 2.0 Retractable  
Gaff Guard (Set of 2)  
6911**

Developed so you never have to worry about losing a gaff guard again! New and improved thicker construction increases the size of the lip of the gaff guard by 2 times, along with a change in composition of the materials in the plastic has doubled the strength of the magnetic gaff guards. New leather protective case reduces the risk of potential breakage or damage to the retractor in most situations.



**Magnetic Gaff Guard  
6909M2**

Our new magnetic gaff guard features a strong magnet that keeps it securely attached to all manufacturers pole and tree gaffs. Easier to find in the field.



**Hook & Loop Fastener  
Lower Straps  
21401C**

Soft, pliable 1 3/4" nylon. Offers an increased surface area for added comfort to the top and back of the foot. The hook and loop cinch provides a fast and easy attachment while providing the user an extra tight fit. Overall length 29".



**Buck FastStrap™ Quick Connect  
Climber Foot Straps  
21402**

Great for rodeo competitors, comfortable, convenient, and adaptable. With a hook & loop design for quick and easy adjustments while providing the user an extra tight fit. Easily adapts for use on your climbing boots, rubber boots, and winter over boots.



**Two Piece Foot Strap  
21391**

A two piece nylon foot strap with split ring. Measures: 1" W x 26" L.

Now available in Black Biothane, order model **21391B**.







**SuperSaver™**

**PN 64-6**

Developed in conjunction with Jamie Chambrelli and the team at ArborMaster®. A truly revolutionary, patent-pending, double hole friction saver and canopy anchor system that will change the way you navigate the canopy forever! Our goal during development was to design a product that would provide you with all the standard adjustable Friction Saver functions. But we also wanted to design in a plethora of other revolutionary functions as well, including the use of both SRT (Single-Line/Non-Moving Rope System) and a DRT (Double Rope/Moving Rope System) on the same anchor at the same time using one product! The SuperSaver™ offers endless opportunities for new and existing ways to navigate the canopy safely and is the most revolutionary and versatile adjustable friction saver and canopy anchor combination ever seen!

**NEW**

Scan the QR code for video



**FEATURES INCLUDE:**

- Adjustable Friction Saver.
- Multi-Rope System: Two Line Configurations. The use of both SRT & DRT systems in-line and used on a single anchor device.
- Multi-Leg System: Spider Legging.
- Numerous SRS anchoring methods.
- Choking Spar Setup.
- Cinching Spar Setup.
- FlintLocker Canopy Anchor: floating anchor device.
- Dedicated Rescue line: When using Multi-Rope Setup.
- Redirects.
- No-Crash Retrieval.




**SuperSaver™**

**FL Prusik**

**P9S8V+P-16**

FlintLocker Double hole SuperSaver™ friction ring with prusik attached.



**The SuperSaver™ Kit**

**63-6**

Includes

- The SuperSaver™ with double hole friction ring hardware with FL prusik,
- Qty 2: AmericanO (oval) ANSI rated carabiners
- Qty 2: Retrieval Keys and an installation accessory snap/carabiner.





**The BuckSLAP™  
3913**

The BuckSLAP™ (Stationary Line Anchor Point) is a new revolutionary anchor method developed in conjunction with Casey 'RAY' Crump, an ISA Certified Arborist and Site Safety Project Manager for North American Training Solutions (NATS). Originally thought up as a floating anchor device to address issues with canopy anchors being difficult to retrieve after doing a single redirect but after endless hours of field testing, we have found the BuckSLAP™ provides incredible versatility. We found that the BuckSLAP™ takes current complex SRS anchoring methods/products and puts them into an ultra-compact, simple, and much more useful device.

**Features and Benefits:**

- Designed as a canopy anchor device for remote or manual installation in the canopy of a tree to provide an approved anchor.
- Removes knots from the climber's system & uses the full strength of a manufactured eye.
- Color coated in BuckViz™ Safety Green to reduce chance of miss-configuration & can be easily verified from the ground.
- Reduces hazard exposure by reducing components & complexity to a climber's system, also adding better rescue readiness & reducing the potentials for failure.
- Fast use on spar pole work as a choking false crotch, & it can retrieve very easily meaning no "spiking down".
- Acts as a floating anchor & performs the same way a base tie would when retrieving after climber redirects.
- If the tie-in is difficult to isolate, the climber advances the system by simply unclipping & re-clipping their carabiner.
- Can aid in rescue by pre-installing a second climbing line on the retrieval side; only if the victim is weighted in the working end, then a rescuer would be able to simply use the pre-installed line to access the tree.
- The short 7.75" length increases your anchor stability by reducing slippage & increasing the cinching performance.
- Large diameter aluminum rings give a more preferred bend radius on your climbing line.

See the video at [BuckinghamMFG.com/videos](http://BuckinghamMFG.com/videos)

**The TreeSqueeze™ 2.0  
7+L08T18A6+J1**

The new TreeSqueeze™, created in conjunction with the experts at ArborMaster, is used for fall restraint and work positioning. This innovative work positioning lanyard allows for a secured ascent up the tree giving you all the safety and confidence you need when out in the field. The TreeSqueeze™ is available in different lengths and is adjustable to give you a perfect fit no matter what size trees you work on. Meets ANSI Z133.

**Features Include:**

- An integrated choking lanyard system that keeps you from falling down the tree in the event of a Gaff out.
- Aluminum ring for attachment purposes.
- Perfect for fall restraint work while positioned in a tree!
- Easily create tie-in point where natural tie-in doesn't exist for fast and safe decent or self-rescue.
- Doubles as a retrievable friction saver.



**Web Friction Saver  
57-48**

ArborMaster Friction Savers allow for easy installation and retrieval from the ground. Benefits include less bend radius, less friction (easier to climb), and reduced wear to a rope. Can be used as a false crotch. **RATED FOR HUMAN SUPPORT ONLY.**

**Reasons to Use a Friction Saving Device:**

- Saves tree cambium and rope from scalding through bark
- Reduces surface wear and grit forced into critical lines
- Reduces energy required to ascend on an SRT system
- Greatly enhances friction hitch response during movement and especially descent







FALL PROTECTION IN A TREE!



**TreEZSqueeze™  
590LR1-120**

**NEW**

Introducing the new TreEZSqueeze™, the best option in the tree care industry for fall restraint work while positioned in a tree. Ideal for use during takedowns and when a tree is not accessible by a bucket or any other means. The TreEZSqueeze™ is the tree care industry's first Engineered System designed, tested, and proven to prevent falls in the event of a gaff out while working on a spar.

**FEATURES INCLUDE:**

- Easy one-handed outer strap adjustment using Buckingham's patented WebGrab™ with the new BuckHorn™ Adjustment Lever. Simply tap the BuckHorn™ to adjust out.
- Easy length adjustments for different spar diameters.
- Reinforced outer strap handle promotes a more natural and ergonomic climbing motion.
- Rigid outer nylon strap is easy to use. A simple flip of the wrist allows the climber to maneuver and ascend efficiently and safely.
- Easily switched out for users that prefer the WebGrab™ on their left or right side.
- The serrated roto snap will grab the tree in the event of a gaff out no matter if the tree is dead, has no bark, or is ash from being burnt.
- Nothing ever needs to be untied or changed out while climbing, which ELIMINATES THE POTENTIAL EXPOSURE TO FALLS.
- Aluminum triple locking carabiner for saddle connection.
- 3,600 gate-rated hardware.





## THROWBAGS

Buckingham throwbags have a tighter, more aerodynamic design with all seams reinforced with two rows of stitching. Available in a variety of colors and in weights ranging from 8 oz - 20 oz. For more bags and environmentally friendly bags, visit BuckinghamMFG.com.




Teardrop



Rubber Dip


## THROWLINE TECHNIQUES

Both of the following techniques achieve great distance and accuracy.



### THE ONE HAND METHOD:

The user can tie a slippery half hitch in line, waist high. This gives him a good finger hold.



### THE TWO HAND METHOD:

The line can be passed back through the steel ring creating two finger holds. It is then swung back and forth between the legs and tossed into the tree.

Reaches heights of over 100ft safely and effectively.

Can be easily replaced in under 20 seconds.



### The BuckLaunch™ 1027G

The BuckLaunch™ was specially developed to give you the ability to safely launch throw weights in an efficient, accurate, and safe manner. We know how tough it can be to accurately get your line into the canopy, especially when using the hand tossing method. The BuckLaunch™ also goes great with Buckingham's rooftop fall protection system and makes the linemen's life much easier. The BuckLaunch™ gives you a reliable product that was designed to be easily workable.

- Heights of over 100' can be achieved in a safe and accurate manner.
- Unlike other related products on the market, the BuckLaunch™ pouch and tubing are easily replaced and can be replaced in less than 20 seconds.
- The BuckLaunch™ is easily attached to fiberglass poles. Must be used with heavy duty grade poles.
- The BuckLaunch™ (1027G) comes with base pole & extension pole. Use PN 1027GH to order head only or for a replacement head.



BuckShot Premium Throwbag

The BuckShot Premium Throwbags were designed to be aerodynamic and durable. The two-color design featuring BuckViz™ Safety Green allows for easier visibility in the canopy. Made from durable Cordura fabric and double stitched with heavy nylon thread, providing a throwbag that will not only perform but also last! *Made with durable Cordura fabric and heavy nylon stitching.*

- Durable nylon web loop at the bottom allowing you to use a carabiner for line attachment.
- High-quality Nickel Plated 1" ring (16A) or ¾" D-ring (16AD) at the top.
- The two-color design allowing for easier visibility.
- Hi-Vis branding allowing you to easily identify the weight of your bags.

Weight	1" Ring at Top	¾" D-ring at Top
8 oz	16A-8BG	16AD-8BG
10 oz	16A-10BG	16AD-10BG
12 oz	16A-12BG	16AD-12BG
14 oz	16A-14BG	16AD-14BG
16 oz	16A-16BG	16AD-16BG

## BUCK TOOL TETHERS

Dropping tools at height is serious, save yourself the worry of dropping a tool with the Buck Tool Tether lanyard that keeps your tools secured and close to you. Expands smoothly with the user's reach to reduce fatigue and contracts easily to the original length when not in use. Helps workers prevent injury, damage, and lost productivity from dropped tools.

- Stretch cord surrounded by tubular nylon webbing with lock stitching at both ends for extra security.
- Twist locking aluminum carabiner (**5005P**) on one end.
- Helps prevent injuries to workers below due to dropped tools.
- Conforms to ANSI/ISEA 121-2018.
- NOT FOR FALL ARREST



**Buck Tool Tether  
600071**

Maximum safe working capacity: 15 lbs.  
Length: 38 in - 51 in.



**35 lb. Single Leg Buck Tool Tether  
600072**

Maximum safe working capacity: 35 lbs.  
Length: 33 in - 51 in



**NEW**

**15 lb. Twin Leg  
Buck Tool Tether  
600073**

Maximum safe working capacity: 15 lbs. for each leg.  
Length: 33 in - 51 in

## TOOL STRAP HOLDERS

**NEW**



**Tool Holder  
Strap  
600081**

A tool holder strap that is designed to be girth hitched or cinched (using the safety green surgical tube slide) to the handle of a battery-operated tool to allow the tool to be stored on an accessory/bucket hook or used as a wristlet.



**Arc Rated Tool  
Holder Strap  
600081K**

An arc rated tool holder strap that is designed to be girth hitched or cinched (using the pre-tied knot) to the handle of a battery-operated tool to allow the tool to be stored on a bucket hook or used as a wristlet.

## CHAINSAW LANYARDS

**Feel safe with knowing your chainsaw will breakaway if too much force is applied, one customer states:** "Works great! And I feel much safer knowing it will tear away if needed." – Danny



**Chainsaw Lanyard  
w/Steel Ring Attachment  
25G12A**

This Chainsaw Lanyard features a 1 3/4" ring for suspension when not in use, an elastic bungee designed for safety and convenience and a tear away safety pack that activates when 200 lbs. of force is applied. This model features a 1 1/8" steel ring saddle end attachment.

**Available Lengths:**

- 46"
- 48"
- 50"



**Chainsaw Lanyard  
w/Bronze Snap Attachment  
25G13A**

This Chainsaw Lanyard features a 1 3/4" ring for suspension when not in use, an elastic bungee designed for safety and convenience and a tear away safety pack that activates when 200 lbs. of force is applied. This model features a 1 1/8" steel ring saddle end attachment.

**Available Lengths:**

- 42"
- 46"
- 48"
- 50"



**Chainsaw Lanyard  
w/Carabiner Loop Attachment  
25G14A**

This Chainsaw Lanyard features a 1 3/4" ring for suspension when not in use, an elastic bungee designed for safety and convenience and a tear away safety pack that activates when 200 lbs. of force is applied. This model features a 3/4" carabiner loop saddle end attachment.

**Available Lengths:**

- 48"
- 50"

# 05 RIGGING



**OX BLOCK™  
w/Swivel Top  
50061**

**OX BLOCK™  
w/Clevis Top  
50062**

**OX Clevis Top  
w/Buck Pin  
50063**

## The OX BLOCK™

The patented **OX BLOCK™** is a rope snatch block that features an integrated friction bar that can be used for hurtman rescue, lowering loads, snubbing loads, and raising heavy loads. It allows the rigging professional to handle loads with greater control. When lowering loads force is transferred from the worker to the **OX BLOCK™**. The **OX BLOCK™**, with greater working load limits, is designed to replace standard handline blocks, parted blocks and various snatch blocks. When configured with optional pulleys, the **OX BLOCK™** can be used to create a 4:1, 5:1 or 6:1 mechanical advantage reducing the amount of force needed to lift heavy loads. *Do NOT Shock Load - Always Rig Above The Load*

**Single Sheave  
BuckRigger™  
5007R1**



**Double Sheave  
BuckRigger™  
5007R2**

## BuckRigger™

The advantage of the BuckRigger™ pulleys is the swivel side plate that allows for quick and easy rope installation without removing pulley from the connecting device. When configured with optional pulleys, the **OX BLOCK™** can be used to create a 4:1, 5:1, or 6:1 mechanical advantage reducing the amount of force needed to lift heavy loads.

Single Sheave BuckRigger™ features a 1/2" rope capacity and a WLL of 1800 lbf.  
Double Sheave BuckRigger™ features a 1/2" rope capacity and a WLL of 2000 lbf.

**Buck Side  
Swivel™  
50071B1**



**Dual Buck  
Side Swivel™  
50071B2**

## Dual Buck Side Swivel™ 50071B2

Heavy duty sheave aluminum pulley with single or dual side swivel plate and swivel eye. Side plates are ideal for use with progress capture Prusik. 5/8" rope capacity. The side swivel plate allows rope to be installed/removed without disconnecting it from the anchor point. Specially designed side plates are ideal for use with progress capture prusiks. Swivel eye prevents twisting of ropes. Ideal for building mechanical advantage with the **OX BLOCK™**. Buck Side Swivel™ has an MBS of 10,000 lbf and WLL of 2500 lbf.



## BuckBully™ 5007B1

The BuckBully™ is a high strength aluminum pulley designed to be used in conjunction with the popular **OX BLOCK™** for 5/8" synthetic rope. It features a maintenance free sealed bearing, delivering effortless pulling and side plates that are hard coat anodized and laser etched for long lasting durability. The side plate to sheave tolerance is tight enough that P-line or Mule Tape can be pulled through without getting jammed. All of this in a light weight package that can handle loads of up to 2,500 lbf. and is easily installed or removed from the rope.



## PORT-A-WRAP

**CUSTOMER REVIEW:**

"These things never go bad unless you want to run over it with a semi truck."

—Matt

Buck PORT-A-WRAPs are compact rope friction devices designed for lowering heavy objects from height in a controlled and predictable manner. The Buck Port-A-Wrap has been widely popular among the modern-day arborist, old school arborist would lower heavy wood by wrapping the lines around

nearby trees causing damage to trees and often causing accidents. With the Buck Port-A-Wrap lowering heavy wood can be controlled and done at a much faster pace while also lowering the potential for an accident. The user-friendly design also makes attaching rigging line a breeze!

MODEL	MATERIAL/COATING	SIZE	MAX ROPE CAPACITY	WEIGHT	MBS	WLL
601MN	Nickle Plated Steel	5.5" L x 6.5" H x 1.23" OD	1/2" Rope	2 lbs.	7,000 lbf.	1,400 lbf.
601M	Nickle Plated Steel/ Powder Coated	5.5" L x 6.5" H x 1.23" OD	1/2" Rope	2 lbs.	7,000 lbf.	1,400 lbf.
601N	Nickle Plated Steel	7.25" L x 9" H x 1.9" OD	5/8" Rope	4 lbs.	12,000 lbf.	2,400 lbf.
601	Nickle Plated Steel/ Powder Coated	7.25" L x 9" H x 1.9" OD	5/8" Rope	4 lbs.	12,000 lbf.	2,400 lbf.
601LN	Nickle Plated Steel	9.5" L x 11" H x 2.4" OD	3/4" Rope	7 lbs.	18,000 lbf.	3,600 lbf.
601L	Nickle Plated Steel/ Powder Coated	9.5" L x 11" H x 2.4" OD	3/4" Rope	7 lbs.	18,000 lbf.	3,600 lbf.
601XN	Nickle Plated Steel	13" L x 14" H x 3.5" OD	7/8" Rope	18 lbs.	60,000 lbf.	12,000 lbf.

#### Mini Rescue Port-A-Wrap 601MQ1

The Mini Rescue Port-a-Wrap is a budget friendly SRT rescue device. Port-a-Wraps are a popular choice rope friction device and can be used in a variety of ways.

- The Mini Rescue Port-a-Wrap is a 6.5" "Mini" POW. Easily secures to the tree, giving the user an SRT basal rescue device. The Red color indicates that it is a dedicated device.
- 20' Tenex Sling- a 12-strand single braid that offers high strength with low stretch and outstanding abrasion resistance. It is Samthane coated to provide abrasion resistance, enhance wear life, snag resistance, and increase ease of splicing.



EYE SLINGS

\* Designates Sling Length

Eye Sling Features

- Made with Tenex or Stable Braid rope.
- Available in 5/8" and 3/4" diameter.
- Samthene coated enhancing wear life.
- See below for ordering information.

Model #	Rope Style	ABS	WLL
<b>39074S - *</b>	3/4" Stable Braid	20,400 lbf	4,080 lbf



WHOOPIE SLINGS

\* Rated Capacities Are For Vertical Lift Use Only

Whoopie Sling Features:

- Adjusts in seconds from a minimum 3' to any desired length.
- Coated 5/8" or 3/4" Tenex Rope.
- See below for ordering information.

Model #	Adjustability	Rope Style	Rated Capacity (Choker) *
<b>39078TA-6</b>	3' - 6'	5/8" Tenex	2,560 lbf
<b>39078TA-10</b>	3' - 10'	5/8" Tenex	2,560 lbf




BUCKLINK™ SLING

The ultimate daisy chain style anchor sling that should be found on every truck across America. Made from 100% lightweight Dyneema material, each loop is rated to 5,000 lbs. With 16 loops, users can adjust the sling to form a rated anchor of any size and help tackle any situation or need they encounter while in the field.



**BuckLink™ Sling**  
**3903S-6**

Available without carabiner, order model: **3903SQ2-6**



LIGHTWEIGHT SUSPENSION SLING

The lightweight suspension sling is designed to be used as a personal anchor for human support and it can be choked or basket hitched. Its streamline size is very flexible so it's easy to handle and install. Steel rings allow any type of connector to be hooked to it. Comes with a wear protector for wrapping around sharp objects and increases the life of the sling.



**Lightweight Suspension Sling**  
**39021J12-2**



**BuckLink™ Sling Kit**

**\*KIT1**

The BuckLink™ Sling Kit features 4 Slings, 5 Carabiners and 1 Small Storage Bag. With the 4 Slings, they can make up a 4-Legged Sling and use the Carabiners however they want. Whether it's using the BuckLink™ Sling to rig an OX BLOCK™ or pulling wire and holding it up on a cross arm, this product is the ultimate daisy chain style anchor sling that should be found on every truck across America due to its endless uses. Throw in our Rigging Carabiner, ideal for use with all OX BLOCK™ products and you've got yourself a rigging kit!

Kit Includes:

- Model **45400G10-9** - 9" Mesh Equipment Bag (Qty: 1)
- Model **3903SQ-6** - BuckLink™ Sling (Qty: 4)
- Model **5005S5** - Rigging Carabiner (Qty: 5)



# 06 BUCKET TRUCK

## BUCKET HOOK W/TETHER HOLE

The newly designed bucket hook can fit up to a 2 1/2" bucket lip and now features a tool tether connection eye. The tether connection eye allows for the Buck Tool Tether **600071** to be attached for extra tool fall protection.

**Features:**


- An outside hook with a 2 1/2" hook opening.
- 40 lb. WLL (3:1 safety factor).
- 2 inside accessory hooks w/15 lb. WLL.
- 3/4" inside opening.



**Bucket Hook w/Tether Hole 2410**



**Bucket Hook w/Tether Hole & Tool Tether 2410T**



**Bucket Hook w/Tether Hole & Gate 2410G**



**Bucket Hook w/Tether Hole, Gate & Tool Tether 2410GT**

## BUCKIT™ RESTRAINT SYSTEM

The easy-to-install BuckIt™ Restraint System keeps the user secure in the bucket, while allowing freedom to move and work. The BuckIt™ Restraint system features

10,000 lb. rated nylon webbing and can be used with any two dee ring belt, including arborist saddles. The system will fit single-man and man-and-a-half buckets.



**BuckIt™ Restraint System 126A**

## BUCKIT™ RESTRAINT KIT

The 126K BuckIt™ Restraint Kit combines the 126R system with the 126R2 and the 126R4 into one kit.



**BuckIt™ Restraint Kit 126K**






**Harness-Lanyard Combo  
U64937Q6**

The harness-lanyard combo is universal in size (fits Medium – X-Large) and features Buckingham’s new safety green webbing. The H-style harness has flat interlocking chest and leg buckles to ensure comfort and *includes a 4 ½ foot BuckYard lanyard*, a great value add

(see below). Meets ANSI Z359.11, Z359.13 and ASTM F887-13 for arc flash.

*For harness with 6’ BuckYard lanyard, order model **U64937Q8***



**BuckViz™ BuckYard™  
84V1D16S1**

**More models, lengths, etc. are available at  
BuckinghamMFG.com.**

Introducing the new BuckViz™ BuckYard™, the same product as the popular BuckYard™ (84V114S1) but in Buckingham’s new BuckViz™ green! For full body harness w/web loop dorsal attachment. Expands to 48". 1706 locking snap hook on one end and web loop on the other end. Interior materials stretch to reduce the arresting force to less than 900 lbs.

**FEATHERWEIGHT  
HARNESSES**

Nothing can make a workday worse than a heavy harness and chafing, especially in or around the neck area. While many harness shoulder pads on the market seem to increase irritability and chafing while working overhead, the Buck Featherweight Harness with Anti Chaffe Technology achieves the opposite. Buckingham’s ACT (Anti Chafe Technology) Collar™ features folded, stitched, and leather lined shoulder straps to reduce neck chafing while working overhead, creating a much more comfortable day on the job. Through advanced design and materials, we’ve built our lightest harnesses ever.



**Featherweight Harness  
6398JQ1**

**OUR LIGHTEST HARNESS  
EVER MADE!**

**FEATURES INCLUDE:**

- Folded, stitched, and leather lined shoulder straps to reduce neck chafing while working overhead.
- Lightweight – just 2.8 lbs.
- Torso adjustment features no cumbersome web tails.
- Hook and Loop adjustable chest strap.
- Aluminum Quick Connect leg strap buckles.
- Breakaway lanyard parking attachment.
- Rappelling loops for self-rescue purposes.
- Dorsal web loop for connection purposes.



**Featherweight Harness w/Dielectric Buckles  
68L98Q1**

**FEATURES INCLUDE:**

- Folded, stitched, and leather lined shoulder straps to reduce neck chafing while working overhead.
- Lightweight – just 3.1 lbs.
- Torso adjustment features no cumbersome web tails.
- 9KV Dielectric Quick Connect chest and leg strap buckles.
- Breakaway lanyard parking attachment.
- Rappelling loops for self-rescue purposes.
- Dorsal web loop for connection purposes.

## BUCKINGHAM ANCHOR STRAP

**Great for use when working on a chipper box of a bucket truck to remove snow. Simply choke the sling to the boom and hook in with your bucket harness and lanyard. Sling slides easily along the boom and you have access to the full chipper box and headache rack.**



Designed to be used as a personal anchor for human support. This Buck anchor strap with a wear guard has a choking configuration and is small, lightweight, and flexible making it easy to handle and install in the field.

### FEATURES:

- Great for use when working on a chipper box of a bucket truck to remove snow. Select states have DOT laws that require the removal of snow from vehicles before operation. Simply choke the sling to the boom of the truck and then hook in with your bucket harness and lanyard. Sling slides easily along the boom and you have access to the full chipper box and headache rack.
- Steel rings allow any type of connector to be hooked to it.
- Comes with a wear protector for wrapping around sharp objects and increases the life of the sling.
- Meets OSHA requirements for being rated to 5,000 lbs.



**Anchor Strap  
3904J12-4**



### BuckArrest™ 64V114.5S2

For full body harness w/web dorsal loop attachment. 16" shock pack covered by a water resistant nylon tube. Lanyard is a fixed length made from woven nylon with a locking snap hook on one end and web loop on the

other end. Length: 4.5'. For harnesses with a Steel Ring Dorsal Attachment, order Model **6VV114.5S2** for lanyard with snap hooks on both ends.



### Hurtman Bucket Truck Rescue System 3813D1Q6

**Watch the video at [BuckinghamMFG.com/videos](http://BuckinghamMFG.com/videos)**

The new BuckViz Safety Green™ bag allows you to deploy the system components from the bottom of the bag rather than reaching all the way to the top of the bag; saving you valuable time in a rescue situation. The new bag was also specifically designed to keep water out of the system allowing it to be permanently mounted to the boom while reducing the possibility of moisture damage to critical components. This design also

prevents the kit components, like the rope and pulley system from inadvertently coming out of the storage bag.

The Buck Hurt Man Rescue system was developed to easily lift an injured or unconscious worker from an aerial basket using a 4:1 mechanical advantage pulley system.



### Self Rescue System 301SRK

**Also available with two descenders for two-man buckets.**

The 301SRK self-rescue system with a bag manufactured out of arc flash rated material.

### FEATURES:

- Descender made of light-weight aircraft grade aluminum features an anti-panic release brake, which will stop the descender if the user releases or compresses the descender all the way, making this the go-to product for all of your self-rescue situations.
- The TVAC descent line is compact measuring only 6.8mm and stands up to heat on long descents.
- System packed in a weather-resistant bag that will stand up to an electric arc flash.
- Bag Material withstands 40cal/cm2 electric arc exposure.
- Two rappelling straps to be used with 'H' Style Harness Single Man Rated to 310lbs.



**BuckStep™ 2.0**  
**105RSDK1**

The BuckStep™ 2.0 is a two-part BuckStep™ suspension trauma relief system designed to alleviate the effects of orthostatic intolerance, also known as suspension trauma. It can be used by users up to 420 lbs. and can be used by either right-handed or left-handed users.

This product allows a victim to immediately deploy a body support system that allows for improved blood circulation and the ability to move and flex muscles until rescue.

The BuckStep™ 2.0 Suspension Trauma System is compact and easy to attach to a full body harness. With small/compact pouches, just 4 ½" x 2" in size. Lightweight - 3.4 oz. (each), 6.8 oz. (pair).

**AERIAL  
BASKET COVER**

Vinyl coated nylon cover wraps snugly around standard one-man buckets with a heavy duty sewn in bungee cord and snap to secure itself to the bucket. Includes one grommet hole. Fits up to a 29" square bucket.

Also available with a rigid fiberglass insert, which is perfect for days with heavy snow or heavy rain. Order PN **454551**.



**Aerial Basket Cover**  
**Safety Green**  
**4545G9**



**Aerial Basket Cover**  
**Black**  
**4545B3**



**Chainsaw  
Scabbard**  
**4514W**

Buckingham's Fiberglass Chainsaw Scabbard has been given a makeover! All fiberglass products are now available in our new and popular safety green color.

The 4514W Chainsaw Scabbard was designed for durability. We took our 4514 chainsaw scabbard and reinforced the chainsaw pocket with 2 layers of durable fiberglass. Adding a chainsaw scabbard to your bucket truck arsenal will allow you to easily access your chainsaw within arm's length.

- Designed to hold most chainsaws.
- Mounts on the inside or the outside of the bucket.
- Reinforced Pocket and sides.
- Springs prevent the scabbard from falling off.



**Tool Tray**  
**4510**

A fiberglass storage tray that may be hung on the inside or outside of an aerial basket. Can be used to conveniently store cabling and other miscellaneous equipment. Mounts using one pair of **5334** PVC hooks (included).



**Chainsaw Holder**  
**for Round Booms**  
**4531R**

Accepts chainsaw head and features a ratchet closure to attach to boom. A foam back prevents slippage.



**Handle Holder**  
**for Square Booms**  
**45301R**

Accepts chainsaw head and features a ratchet closure to attach to boom. A foam back prevents slippage.





# 07 EQUIPMENT BAGS/ ROPE BAGS



### The BuckPack™ Pro 4378

After years of development, we are proud to introduce a truly one-of-a-kind gear bag that has been designed from the ground up to be the most versatile and feature-packed gear bag available!

#### FEATURES INCLUDE:

- Constructed from heavy-duty water-resistant vinyl and cordura material.
- 12 separate rows of Molle loops throughout the bag.
- Removable gear garage for all your hardware and devices.
- Numerous storage and access options that will not be found on any other gear bag.



*Also available without the Gear Garage™  
4377*



### BuckPack™ Mini 4380

The BuckPack™ Mini is a great rope bag option but is also large enough to use for everyday gear storage!

#### FEATURES INCLUDE:

- MOLLE webbing on the exterior of bag for organization.
- Internal mesh pocket for personals or other small items.
- Constructed of heavy vinyl material for water proofing and durability.
- Large drawstring opening/closing system for optimal fit of stored gear.
- Air Flow shoulder padding that is extremely comfortable. Can be easily released via QC Buckles for stowing shoulder pads in outside pocket for things like airport travel or just getting them out of the way.

# THE BUCKPACK™ PRO

After years of development, we are proud to introduce a truly one of a kind gear bag that has been designed from the ground up to be the most versatile and feature packed gear bag available on the market!

## MAXIMIZED GEAR CAPACITY + OPTIMIZED ORGANIZATION



### Large Upper Pocket

For helmet, gloves, and other gear you may want to easily access

### Name Tag/Company Tag Pocket


### NUMEROUS STORAGE & ACCESS OPTIONS THAT WILL NOT BE FOUND ON ANY OTHER GEAR BAG

- Massive front pocket to easily access all your gear.
- No more struggling to access something at the bottom of your bag!



### Storage For Your Climbers!

Save space and prevent accidental puncture of bag or gear



### Gear Garage

- Removable gear garage for all your hardware & devices.
- Prusik storage.
- Handsaw pocket.
- Removable divider if you want to keep clothing or other gear away from gear that might be dirty.

### Molle Loops Throughout

### Numerous Personal Pockets

### Rope (Or Other Gear) Access Pocket

- Allows you to access your rope without having to empty the bag of its contents.
- Great for access in the rain!





**BackPack  
Rope Bag  
4469G4P-150**

Has padded shoulder straps  
QC chest strap that helps maintain position  
and comfort of bag while climbing. 3 outside  
mesh pockets with hook and loop closure  
allows user to find hardware and equipment

fast and efficiently. Quick adjust friction  
buckles allow for easy adjustment of straps  
to find a perfect fit. The fairlead drawstring  
allows for a secure closure and a carry  
handle, provides alternative grab and carry.

Suffix:	-120	-150	-200	-225	-300
Rope Length:	120' of 5/8" Rope	150' of 5/8" Rope	200' of 5/8" Rope	225' of 5/8" Rope	300' of 5/8" Rope



**XL RopePro™ Deluxe  
Pack Attachment  
4375**

Quickly converts a RopePro™  
deluxe bag into a backpack or  
climbing duffle.



**XL RopePro™ Deluxe  
4373**

The XL RopePro™ Deluxe Bag is water resistant that helps keep  
equipment dry with a rope access port located in the lid with a cap  
to keep dirt and water out. Ventilation panels provide air circulation  
and quick glance identification of material. This bag is perfect for the  
road and can hold up to 500' of rope. 23" H x 14" W x 22" D. Weight:  
4 lbs.



**Large RopePro™ Deluxe  
4374**

The large RopePro™ Deluxe Bag is water resistant that helps keep  
equipment dry with a rope access port located in the lid with a cap  
to keep dirt and water out. Ventilation panels provide air circulation  
and quick glance identification of material. This bag is perfect for the  
road and can hold up to 500' of rope. 16" H x 14" W x 16" D. Weight:  
3.2 lbs.





**Buck  
Throwline Bag  
4468G9**

The Buckingham ProSeries throw line deployment bag now available in the popular Hi-Vis Green allows the user to conveniently store multiple throw lines in one bag without tangling. Measures: 9" H x 12" Dia.

**BUCK ROPE BAG**

Features a drawstring closure top and two large carry handles. Durable rubber bottom rubber gliders to help maintain form and keep bag off the ground preventing moisture from seeping in through the bottom. Heavy duty nylon carry handles with reinforced nylon stitching. Measures: 15" H x 12" Dia. Other colors available upon request.



**BuckViz™ Buck Rope Bag  
45691G4-150**



**Black Rope Bag  
45691B4-150**

**MESH BAGS**

The popular Buckingham mesh equipment bag has a new look. Now available in Hi-Vis Green comes in a variety of different sizes for every piece of equipment from small tools and hardware to saddles, rope and climbers our mesh bags can hold it. Buckingham's mesh bag makes it

easy to locate items within the bag while allowing airflow pass through to keep things from smelling after a day in the field. Airflow allows for equipment to dry while being stowed. Extremely lightweight. Easily find equipment in your bag without digging everything out.



**BuckViz Green**

9"	<b>45400G10-9</b>
18"	<b>45400G10-18</b>
24"	<b>45400G10-24</b>



**Black**

18"	<b>45400B8-18</b>
24"	<b>45400B8-24</b>



Saw	Saw Model	65156C (p 24)	6515 (p 26)	6515C (p 26)	6515P (p 26)	6515CP (p 26)	6015 (p 27)	6015C (p 27)	6223 (p 25)	6517 (p 27)	6517C (p 27)	6515S (p 27)	6515CS (p 27)	6222 (p 25)	6222C (p 25)
Corona	7100-1 AC7249 AC7241	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Fanno	16 20								✓					✓	✓
Gilmour	20, 20B 2011 2011B	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Hastings	P11004	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Jameson	SB-1C SB-2 SB-4 SB-5U PS-3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Marvin	S-17 S-18 S-19 S-20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

Subject to change - if you have questions, always verify through [BuckinghamMFG.com](http://BuckinghamMFG.com) or through our customer service department.

Additional axe covers, pruner covers and circular saw guards are available at [BuckinghamMFG.com](http://BuckinghamMFG.com).



**Chainsaw Scabbard**  
 \ Belting: **60212C**  
 \ Leather: **60212**

Prevents damage to chain and other equipment. For use with bar lengths from 12" to 14". 12 3/4" (32 cm) overall length, 12" (30 cm) pocket depth.



**Chainsaw Scabbard**  
 \ Belting: **6022C**  
 \ Leather: **6022**

For use with bar lengths from 16" to 20". 18 1/4" (46 cm) overall length, 17" (45 cm) pocket depth.



**Pole Saw Scabbard**

\ **Belting: 65156C**

Fits Fanno blades #16 and #17 as well as Mundo Pruning saws. 16" (41 cm) overall length, 16" (41 cm) pocket depth, 4" (10 cm) wide.



**Dual Saw Scabbard**

\ **Belting: 6223C**

\ **Leather: 6223**

For curved blade pruning saws with up to a 24" blade. 26" (66 cm) overall length. 21" (53 cm) pocket depth. Small Pocket: Fits curved blade pruning saws up to a 16" blade. 17" (43 cm) overall length. 21" (53 cm) pocket depth.



**Saw Scabbard**

\ **Leather: 6222**

Fits curved blade hand saws with a 22" and 24" blade. 26" (66 cm) overall length. 21" (53 cm) pocket depth.



**Straight Saw Scabbard**

\ **Belting: 6208C**

\ **Leather: 6208**

Fits pruning saws with a 22" to 26" blade length. 26" (66 cm) overall length. 19 1/2" (50 cm) pocket depth.



**Saw Scabbard**

\ **Belting: 6515C**

\ **Leather: 6515**

Fits curved blade hand pruning saws with up to a 16" blade. 3 1/2" (9 cm) x 19 3/4" (50 cm) overall length. 3" (8 cm) x 15" (38 cm) pocket depth.



**Saw Scabbard**

\ **Belting: 6515CP**

\ **Leather: 6515P**

Holds curved blade hand pruning saws with up to a 16" blade. A leather pruner pouch is included. Scabbard: 3 1/2" (9 cm) x 19 3/4" (50 cm) overall length. 3" (8 cm) x 15" (38 cm) pocket depth.



**Pole Saw Scabbard**

\ **Belting: 6015C**

\ **Leather: 6015**

Prevents damage to saw blades and other equipment when not in use. 3 1/2" (9 cm) x 16" (41 cm) overall length, 3" (8 cm) x 15" (38 cm) pocket depth.



**Climbing Pole Saw Scabbard**

\ **Belting: 6517C**

\ **Leather: 6517**

Clip the scabbard onto your belt, slip your pole saw into the scabbard and fasten the strap.

# OFFICIAL TRAINING PARTNERS

Buckingham Manufacturing is proud to work with the following training partners to provide training on products and systems that we offer.



## SAFETY ONE TRAINING INC.

Safety One Training was founded with the vision to bring safety and rescue training services to snowcat operators. Since then, the company has grown, and the training programs have expanded into other areas such as utility, telecommunications, governments and military industries, as well as independent contractors. Safety One Training has become a leader in fall protection.

[www.safetyoneinc.com](http://www.safetyoneinc.com)



## ARBORMASTER

ArborMaster Training has been the leader and premier provider of private in-house hands-on customized training programs and regional open-enrollment courses through their innovative Safety, Skill and Productivity education and training for people and organizations who work with, in, and around trees.

[www.arbormaster.com](http://www.arbormaster.com)



## NATS

NATS mission is to empower people to live and work safely, creating a positive impact, and to be the best version of themselves by inspiring a culture of safety through leadership, sustainability, and integrity. They offer training and educational programs, share knowledge, resources, and tools to increase safety and efficiency in the workplace.

[www.northamericantrainingsolutions.com](http://www.northamericantrainingsolutions.com)



## TOWER SAFETY

Tower Safety and Rescue provide courses with instructors who provide extensive knowledge in rigging, climbing, rescue, and installation. They have SPRAT Level 3 trainers and offer the best of all the rope access industries. Tower Safety is a Cell Tower, SPRAT, and Confine Space and Rescue Safety Training Company providing excellent training in safety and rescue learn, lead and live.

[www.towersafety.com](http://www.towersafety.com)









BUCKINGHAM  
**BUCK**  
1896

---

[BuckinghamMFG.com](http://BuckinghamMFG.com)