



BUCKINGHAM BUCK 1896

BUCKINGHAM MFG has proudly served industries with workers who climb wood poles, trees, towers and structures that support electricity, cable and telecommunications equipment for over 120 years. Whether for work above or below ground in these industries, we produce personal protection equipment and specialty tools for work positioning, retrieval, fall restraint, fall arrest and suspension work applications. Most people do not think about the importance of work performed by those in this industry every day until the power goes out, the tv and computer stop working or a tree falls on a house or power line. Our customers maintain and restore services in all types of weather. This catalog is a tribute to these highly trained workers performing dangerous jobs with little recognition.

Cover photo credit:

Peter Hirsch, Kevin Beavers, Micah Clifton, Travis Lightener, Dmfr Rossi, Chris Martinez, Jared Katynski, Robert Moore

Buckingham MFG
1-11 Travis Avenue
Binghamton, NY 13904, USA

+1 800 937 2825

buckinghammfg.com

sales@buckinghammfg.com

facebook.com/buckinghammfg
instagram.com/buckingham_mfg
twitter.com/buckingham_mfg
youtube.com/buckmfg
google.com/+buckinghammfg



CONTENTS

*This mini catalog is a sampling of the thousands of products we manufacture.
For our full line, please visit BuckinghamMFG.com*

- 04** NEW PRODUCTS
- 08** CLIMBERS / PADS /
ACCESSORIES
- 12** WOOD POLE FALL PROTECTION
- 16** BODY BELTS
- 18** OX BLOCK™ & RIGGING
- 20** BUCKETS / BAGS / POUCHES /
ACCESSORIES



01 NEW PRODUCTS



COMFORTLITE™ CLIMBER KITS

The ComfortLite™ Pole Climber Kits are our lightest and most comfortable climber kits to date! The ComfortLite™ is ergonomically designed to relieve pressure points and direct pressure to non-sensitive areas of the leg while climbing. This was accomplished using both a dual layer of compression padding and a lightweight Copolymer cuff that achieves the ultimate fit for comfort.

HOW DOES IT COMPARE TO OTHER CLIMBER KITS?

COMFORTLITE™
5 LBS.

**BUCKALLOY™ BLACK
CLIMBER KIT**
6.6 LBS.

**CLOSEST
COMPETITOR**
9 LBS.

Features & Benefits:

- Available in cinch or non-cinch versions.
- More than 4 lbs. lighter than the closest competition!
- The ComfortLite™ cuff is a one-piece design removing the need for additional components traditionally seen on our kits.
- New weighted web-end designed to create grip, rigidity, and add weight to the end of cinch strap making it easier and faster to cinch and uncinch pad.
- 4" wide upper strap with a cinch loop ensures a secure and snug fit.
- Patented GRiP™ (Gaff Ridge Position) technology keeps gaff pointed toward the heart of the pole, promoting ease of climbing and a more natural upright position.
- Hook & Loop Foot Straps (21401C-BL).
- BuckViz™ Green Magnetic Gaff Guards (6909M2).
- 1 3/4" standard (16 degree angle) gaff with GRiP™ technology.
- 350 lb. user weight capacity. Meets ASTM F887 standard.



**BuckAlloy™ Kit
w/Cinch
A94K9V-BL**

Features **36021C**
ComfortLite™
Wrap Pads.



**BuckAlloy™ Kit
w/o Cinch
A94K11V-BL**

Features **36021**
ComfortLite™
Wrap Pads.



**ComfortLite™
Steel Kit w/Cinch
SBG94K9V-BL**

Features **3602C**
ComfortLite™
Wrap Pads.



**ComfortLite™
Steel Kit w/o Cinch
SBG94K11V-BL**

Features **3602**
ComfortLite™
Wrap Pads.

**ComfortLite™
Wrap Pad
36021C**



**ComfortLite™
Wrap Pad
36021**



**ComfortLite™
Wrap Pad
3602C**



**ComfortLite™
Wrap Pad
3602**



COMPATIBLE WITH BUCKINGHAM BUCKALLOY™ CLIMBERS

COMPATIBLE WITH BUCKINGHAM STEEL/TITANIUM CLIMBERS





Bucksqueeze™ Lite 486DK4MA

Buckingham's lightest WPFR device to date! Just 3.5 lbs. Our closest competitor weighs nearly double the weight.

Features:

- Nose D-ring:
 - Constructed of a large d-ring section for connection purposes that features a slotted "nose" section to capture the rotosnap to create a rigid connection, which makes ascending and descending the pole easier and more efficient.
 - The large d-ring section creates ease of reconnecting while transitioning, allowing for more efficient transfers. Great for rodeos!
- An Ergonomic aluminum / steel handle that provides maximum control of the device and comfort during long days on the pole.
- An aluminum WebGrab™ that features an extended eye cam efficiently positions the inner strap that creates zero binding and allows for easier replacement of the inner strap.



2-D TrueFit™ Belt

- A patent-pending, fully adjustable, 2-D TrueFit™ belt that allows your dee size to be adjusted between sizes 20-30. This adjustable 2-D belt offers an adjustable dee piece/gut strap that allows the user to customize the size of the belt at any given moment.
- Interlocking (1998C) or Quick Connect Buckles (1998CQ2) that allow the user to retrofit the belt to a harness.
- Lightweight, just 2.5 lbs.!



w/ Interlocking Buckles
1998C



w/ Quick Connect Buckles
1998CQ2



6-D Adjustable Body Belt 20122CM1

The revolutionary patented multi-hole D-ring provides numerous points of connection for both your primary (WPFR) and secondary lanyard (s). The numerous points of connection allow the user to climb, work, and transition in several different configurations. 2 ½" offset connection points prevent the WPFR device and secondary lanyard from binding on each other.

Features:

- Offers an adjustable man-rated belt strap and an adjustable work positioning D-piece that allows the user to customize the size and feel of the belt.
- Low profile construction of a 2-D Body Belt, with the functionality of a 4-D stacked Body Belt, reducing surface area and weight overall.

Also available with a Quick Connect Belt Strap!
Model 20122CKM1



BuckSeat™ 4305-SIZE

The BuckSeat represents the next evolution in our line of body belts with seats. With adjustable features for the waist, seat, and upper D rings, customize your fit for optimal comfort and security. This body belt has a bottom cushion or "seat" for added support while climbing, unique to our current line of body belts.

Features:

- Additional D-Rings which are ideal for use when a secondary lanyard is used to climb over obstructions.
- Handcrafted with high-quality leather.
- Full float body belt.
- 5" foam cushion back/bottom pad.
- 4 stacked D-Rings.
- Durable design and secure fit.
- Adjustable fit and sizing.
- Maximum comfort with added "seat".



OUR LIGHTEST HARNESS EVER MADE!



**Featherweight Harness w/Dielectric Buckles
68L98Q1**

- Buckingham's ACT (Anti Chafe Technology) Collar™ features folded, stitched, and leather lined shoulder straps to reduce neck chafing while working overhead, creating a much more comfortable day on the job.
- Lightweight – just 3.1 lbs.
- Torso adjustment features no cumbersome web tails.



**Featherweight Harness
6398JQ1**

- Buckingham's ACT (Anti Chafe Technology) Collar™ features folded, stitched, and leather lined shoulder straps to reduce neck chafing while working overhead, creating a much more comfortable day on the job.
- Lightweight – just 2.8 lbs.
- Features a hook and loop chest strap and aluminum quick connect leg strap buckles for quicker and easier donning.
- Torso adjustment features no cumbersome web tails.



**BuckEssentials™ Fall Arrest Harness
U64C93Q2**


- Interlocking chest and leg straps.
- Torso adjustment.
- Reinforced Nylon stitching.
- Secure web loop for reliable fall arrest connection.
- Universal sizing for a custom fit.

Available as a kit with a 84V1E16S1 BuckYard™ (1 Snap) lanyard. Order Model: **U64C93Q3**



**Next Generation BuckArc™ Harness
U68P98K700Q1**

- Designed for optimal weight distribution and balance.
- Highly durable Nomex/Kevlar webbing.
- Aluminum Quick Connect Buckles on chest and leg straps.
- Kelvar web dorsal loop for secure fall arrest connection.
- Anti Chafe Technology™ (reduce neck chafing while working overhead).
- Universal sizing for a custom fit.



Scan the QR code to watch a video of the PeerCheck™ in action!

**PeerCheck™
PEERCHECK**

- Buckingham PeerCheck™ is a simple, inexpensive and portable alarm system that notifies the worker and crew if a lanyard connection to the bucket truck anchor point has been inadvertently forgotten.
- PeerCheck™ is the equivalent to your seat belt alarm in your car.
- While there are other options currently available, PeerCheck™ is inexpensive, simple to use, and portable.



**The BuckPack™ Pro
4378**

- Constructed from heavy-duty waterproof vinyl and cordura material.
- 12 separate rows of Molle loops throughout the bag.
- Removable gear garage for all your hardware and devices.
- Numerous storage and access options that will not be found on any other gear bag.



Also available without the Gear Garage™
4377




BuckAlloy™ American Climber Kit
A94K7F1G2-FL

- The BuckAlloy™ American Climber Kit features a pair of hydro-dipped aluminum climbers with a cushion wrap pad, fast strap quick-connect foot straps and a leather gaff guard for added protection.
- GRiP™ (Gaff Ridge Position) Technology keeps gaff pointed towards the heart of the pole greatly reducing cutouts.
- **The American Flag Hydro-Dip Finish has the potential to wear quickly if being used in the field.*

Canadian Climber Kit also available
A94K7F1G2-FL1


Quick Connect Climber Pads
35021K1

The quick connect buckle will shave time off your speed climb in a rodeo or simply allow you to step into your gear quicker on the jobsite. Either way this is a major time saver!

Features:

- A 4" angled design.
- Metal insert designed to keep the climber shank stationary to reduce chafing to the leg.
- ¾" cushion padding for comfort.
- Quick connect buckle for a simple, easy, and secure attachment.
- Compatible with Buckingham BuckAlloy™ Climbers.



Buckingham BuckFold™ Skinning Knife
7092

Generously sized handle makes this ideal for gloved hands
 OAL: 10.2"

For version with blunt blade, order model **70922**


BuckCaddy™
BUCKCADDY

A durable tool holder accessory designed to keep your tools and equipment organized and easily accessible. With a height of 6.5" and a width of 6", this versatile holder features a combination of two oval slots measuring 1.125" x 1.875", two rectangular slots measuring 0.5" x 2.125", and one central circular slot measuring 1.75" in diameter, to securely hold a variety of tools. Lightweight and durable steel design. Opening designed to fit up to 3/4" bolts. Portable size to easily accommodate limited storage space. WLL: 750 lbs.


Buck Strap™
2508

- Non-conductive tie-down strap to secure insulated blankets to energized conductors, poles, etc.
- Non-absorbent polyurethane eliminates stored energy related injuries involving bungee cords that may become disconnected and contact the worker.
- Eliminates knife injuries/cuts to insulated goods/residue left by electrical tape.


Magnet Pouch
M4

- Wrap onto 1 ¾" harness webbing or the belt strap on a body belt to allow the user to add on a magnet to store nuts and washers while working.
- Arc Flash Tested materials that meet the requirements of ASTM F887.
- Use as a lanyard parking attachment point for a lanyard hardware when not in use.



02 CLIMBERS/PADS/ACCESSORIES

COMFORTLITE™ CLIMBER KITS

The ComfortLite™ Pole Climber Kits are our lightest and most comfortable climber kits to date! The ComfortLite™ is ergonomically designed to relieve pressure points and direct pressure to non-sensitive areas of the leg while climbing. This was accomplished using both a dual layer of compression padding and a lightweight Copolymer cuff that achieves the ultimate fit for comfort.

Features & Benefits:

- Available in cinch or non-cinch versions.
- More than 4 lbs. lighter than the closest competition!
- The ComfortLite™ cuff is a one-piece design removing the need for additional components traditionally seen on our kits.
- New weighted web-end designed to create grip, rigidity, and add weight to the end of cinch strap making it easier and faster to cinch and uncinch pad.
- 4" wide upper strap with a cinch loop ensures a secure and snug fit.
- Patented GRiP™ (Gaff Ridge Position) technology keeps gaff pointed toward the heart of the pole, promoting ease of climbing and a more natural upright position.
- Hook & Loop Foot Straps (21401C-BL).
- BuckViz™ Green Magnetic Gaff Guards (6909M2).
- 1 3/4" standard (16 degree angle) gaff with GRiP™ technology.
- 350 lb. user weight capacity. Meets ASTM F887 standard.

HOW DOES IT COMPARE TO OTHER CLIMBER KITS?

COMFORTLITE™
5 LBS.

**BUCKALLOY™ BLACK
CLIMBER KIT**
6.6 LBS.

**CLOSEST
COMPETITOR**
9 LBS.



**BuckAlloy™ Kit
w/Cinch
A94K9V-BL**

Features **36021C**
ComfortLite™
Wrap Pads



**BuckAlloy™ Kit
w/o Cinch
A94K11V-BL**

Features **36021**
ComfortLite™
Wrap Pads



**ComfortLite™
Steel Kit w/Cinch
SBG94K9V-BL**

Features **3602C**
ComfortLite™
Wrap Pads



**ComfortLite™
Steel Kit w/o Cinch
SBG94K11V-BL**

Features **3602**
ComfortLite™
Wrap Pads

GRiP TECHNOLOGY™

- Keeps the gaff pointed toward the heart of the pole.
- Aids in preventing cutouts, allowing for better, more comfortable setting of the user's foot and arch.
- Also allows optimum gaff placement on the pole and promotes ease of climbing.

Buckingham's Patented GRiP (Gaff Ridge Position) Technology™ allows linemen to "climb like the old timers but feel comfy like the new guys," says one Journeyman Linemen who has worn the BuckAlloy™ Climbers with GRiP Technology™.




**BuckAlloy™ American Climber Kit
A94K7F1G2-FL**

- The BuckAlloy™ American Climber Kit features a pair of hydro-dipped aluminum climbers with a cushion wrap pad, fast strap quick-connect foot straps and a leather gaff guard for added protection.
- GRiP™ (Gaff Ridge Position) Technology keeps gaff pointed towards the heart of the pole greatly reducing cutouts.
- **The American Flag Hydro-Dip Finish has the potential to wear quickly if being used in the field.*

Canadian Climber Kit also available
A94K7F1G2-FL1


**BUCK
FASTSTRAP™
CLIMBER KITS
W/BIG BUCK
WRAP PADS**

These climber kits with the Buck FastStrap™ features Buckingham's FastStrap™ Quick Connect Foot Straps, BuckGuard™ Retractable Gaff Guards and our Big Buck™ Wrap Pads making this kit ideal for anyone who wants convenience, durability, and comfort all in a lightweight climber kit.



**BuckAlloy™
Climber Kit w/
FastStrap™ &
Retractable Gaff
Guard
A94K2FG-BL**



**BuckLite™ Titanium
Climber Kit w/
FastStrap™ &
Retractable Gaff
Guard
TBG94K2FG-BL**



**Steel Pole Grip™
Climber Kit W/Big
Buck™ Wrap Pads
SBG94K2V-BL**


**BuckAlloy™ Black
Climber Kit
A94K1V-BL**

The BuckAlloy™ Black climbers are the most durable aluminum climber in the industry and the most cost-effective lightweight climbers. These climbers provide strong, lightweight comfort for total confidence while climbing. Kit comes with our line of blacked out gear, featuring a hint of BuckViz™ green.

Kit Includes:

- BuckAlloy™ Black Climbers.
- Black Cushion Wrap Pads.
- Black Hook & Loop Foot Straps.
- BuckViz™ green magnetic gaff guards.


**BuckLite™ Titanium Black Climber Kit
TBG94K1V-BL**

Weighing in at only 17 ounces, Buckingham's BuckLite™ Titanium Climbers with Patented GRiP Technology™ bring the best of strength, lightweight functionality, and comfort together in a climber that cannot be found elsewhere on the market. BuckLite™ Titanium Pole Climbers were already one of the most popular climbers out, now we have brought the fan-favorite & patented GRiP (Gaff Ridge Position) Technology™ to these climbers!

Kit Includes:

- BuckLite™ Titanium Pole Climbers with Grip Technology™
- Black Cushion Wrap Pads w/Cinch Loop.
- Black Hook & Loop Climber Straps.
- BuckViz™ green magnetic gaff guards.





**Steel Pole Climber Kit w/GRiP™
SBG94K1V-BL**

A popular choice steel pole climber that has a contoured shank and an offset stirrup. Features Buckingham's patented GRiP™ technology that keeps the gaff pointed toward the heart of the pole, which reduces cutouts and maximizes comfort. This climber kit comes with our line of blacked out gear, featuring a hint of BuckViz™ green.

Kit Includes:

- Steel Pole Climbers w/GRiP™ Technology
- Black Cushion Wrap Pads w/Cinch Loop.
- Black Hook & Loop Climber Straps.
- BuckViz™ green magnetic gaff guards.

**COMFORTLITE™
WRAP PADS**

The ComfortLite™ Wrap Pad is a state of the art, lightweight climber pad constructed from a dual layer of compression padding, and a lightweight cuff to accomplish the ultimate fit. Our lightest and most comfortable pad yet and now available for steel and titanium climbers!

Features:

- 4" wide upper strap features a weighted web-end that creates grip, rigidity, and adds weight to the end of cinch strap making it easier and faster to cinch and uncinch the pad, ensuring a snug fit.
- The dual layer of compression padding, and lightweight cuff were ergonomically shaped to relieve pressure points and direct pressure to non-sensitive areas of leg.
- A ¼" thicker than existing Buckingham Climber Pads.
- The ComfortLite™ cuff is a one-piece design removing the need for additional components traditionally used in current Buckingham Climber Pads.
- No insert necessary.
- Non-Cinch pad with weighted web end allows for quicker slap pad option for rodeos.



**ComfortLite™ Wrap Pad w/Cinch
for BuckAlloy™ Aluminum Climbers
36021C**

Available without cinch 36021



**ComfortLite™ Wrap Pad w/Cinch
for Steel/Titanium Climbers
3602C**

Available without cinch 3602



**BIG BUCK™
WRAP PAD**

The Big Buck™ Wrap Pad is a combination of your two favorite climber pads. We have taken the adjustability of the hook and loop cinch wrap pad, the increased surface area of the Big Buck™ pad and added a moisture wicking Dri-lex lining. Increased surface area to distribute pressure. Thick comfortable pad and moisture wicking Dri-lex lining. Features the adjustability of Hook and Loop Wrap Steel "C-Pad" insert for proper climber shank position. Cinch loop to provide an extra tight fit. Rolled edge to prevent chafing.



**Big Buck™
Wrap Pad**

BuckAlloy™:
32021C
Steel & Titanium:
3202C



*Also Available in
Heritage Leather*
32021C-BH / 3202C-BH





Cushion Wrap Pad w/Cinch 3502C

BuckAlloy™: 35021C

A hook and loop pad that combined with an angled metal insert designed to keep the climber shank stationary to reduce chafing to the leg. Measures 4" W with ¾" padding



Available in Heritage Leather
3502C-BH / 35021C-BH



Cushion Wrap Pad w/Cinch 3500C

A hook and loop pad that features a cinch loop. No metal insert and measures 4" W with ¾" padding.



Cushion Wrap Pad 3500

A hook and loop pad that features continuous wrap. Comes without a metal insert and without cinch. Measures 4" W with ¾" padding.



Cushion Wrap Pad w/Insert 3502

4" angled design, continuous wrap (ideal for rodeos). Metal insert keeps shank stationary to reduce chafing to the leg. ¾" cushion padding. Maximum adjustability. Rolled edge prevents chafing.



Available in Heritage Leather
3502-BH



Quick Connect Climber Pad 35021K1

4" angled design with metal insert to keep climber shank stationary to reduce chafing to the leg. ¾" cushion padding. Quick connect buckle for a simple, easy, and secure attachment. Compatible with Buckingham BuckAlloy™ Climbers.



BuckGuard™ 2.0 Retractable Gaff Guard 6911

Thicker, stronger construction increases size of lip of gaff guard by 2x. Leather protective case reduces risk of breakage or damage to the retractor. Max Retractable length of 22".



Magnetic Gaff Guard 6909M2

Our new magnetic gaff guard features a strong magnet that keeps it securely attached to all manufacturers pole and tree gaffs. Easier to find in the field.



Snap On Gaff Guard 6909A

Easy Snap On Gaff Guard fits all Buckingham replaceable pole gaffs with a 16° angle.



Universal Gaff Guard 6909U

Universal coated wire pole gaff guard made to fit all Buckingham, Bashlin, Klein and Stringer Brooks pole climbers.



Hook and Loop Climber Foot Straps 21401C

Soft 1 ¾" nylon, offers increased surface area for added comfort to top and back of foot. Hook and loop cinch provides easy attachment and an extra tight fit. Overall length: 29". *Patented.* Also available w/BuckViz™ Green stitching, model 21401C-BL.



Buck Heel Guards 10C

The Buck Heel Guards help to prevent gaff wounds in the ankle area when climbing. Manufactured from 2 ply coated PVC belting for durability. NOT compatible with the Fast Strap quick connect buckle foot straps. Measures: 7" L x 5.5" W.

Large Buck Heel Guards 10CQ2

The Buck Heel Guards help to prevent gaff wounds in the ankle area when climbing. Manufactured from 2 ply coated PVC belting for durability. NOT compatible with the Fast Strap quick connect buckle foot straps. Measures: 8" L x 6.5" W.



Gaff Maintenance Kit 6025

Includes smooth single cut file (6058), a new and improved pole gaff gauge (6303) that also gauges CCA gaffs, and finishing hone (6501).



Climber Footplate for BuckAlloy™ Climbers 350331

Compatible w/BuckAlloy™ climbers. Added comfort when standing on a pole. Two plates, one with a rubber sole that faces down, fasten together on the climber stirrup with two screws. Not for use with Steel and Titanium climbers.



Climber Footplate for Steel/Titanium Climbers 350333

Compatible with any steel or titanium climber. Added comfort when standing on a pole. Two plates, one with a rubber sole that faces down, fasten together on the climber stirrup with two screws. Not for use with aluminum climbers.



03 WOOD POLE FALL PROTECTION



Bucksqueeze™ Lite 486DK4MA

Buckingham's lightest WPFR device to date! Just 3.5 lbs. Our closest competitor weighs nearly double the weight.

Features:

- Nose D-ring:
 - Constructed of a large d-ring section for connection purposes that features a slotted "nose" section to capture the rotoSnap to create a rigid connection, which makes ascending and descending the pole easier and more efficient.
 - The large d-ring section creates ease of reconnecting while transitioning, allowing for more efficient transfers. Great for rodeos!
- An Ergonomic aluminum / steel handle that provides maximum control of the device and comfort during long days on the pole.
- An aluminum WebGrab™ that features an extended eye cam efficiently positions the inner strap that creates zero binding and allows for easier replacement of the inner strap.

EZ Squeeze™ w/LeverGrab™ 490K3

The most advanced WPFR on the market today!

Buckingham's most advanced EZ Squeeze™ yet now features the all new Buck LeverGrab™ (LAD). The LeverGrab™ was specifically designed to allow users to lengthen without removing weight from the inner rope of the EZ Squeeze™. The new LAD easily adjusts with one hand and is fully adjustable while under load, making length adjustments much easier. This version also comes with Buckingham's new wear-resistant Tough Rope that is constructed with an energy absorbing nylon core, red braided polyester inner core cover (red wear indicator) and an abrasion and heat resistant Technora outer jacket that eliminates the need for a wear guard.

No more jamming of your wear guard! The New Lightweight Design EZ Squeeze™ offers superb Wood Pole Fall Restriction capabilities and allows for the easiest and most functional inner and outer length adjustments in the industry!

Available with an all black Tough Rope; order model **490K5**



EZ Squeeze™w/Tough Rope 490K

The New Lightweight Design EZ Squeeze™ with Tough Rope offers superb Wood Pole Fall Restriction capabilities and easy one handed outer strap adjustment through use of Buckingham's patent pending WebGrab™ with the New BuckHorn Adjustment Lever. This new component allows EZ™ length adjustment of the outer strap, without the need for the user to remove their weight from the device. With just a flick of the wrist users can adjust the strap in and just tapping the BuckHorn™ to adjust out. Distribution 50" pole circumference. For transmission (90" pole circumference) order model **490KT**.



Available with an all black Tough Rope; order model **490K4**



EZ SQUEEZE™

WATCH THE VIDEO:

See all the features and benefits in action at BuckinghamMFG.com



The EZ Squeeze™ offers superb Wood Pole Fall Restriction capabilities and easy one handed outer strap adjustment through the use of Buckingham's patent pending WebGrab™ with the New BuckHorn™ Adjustment Lever. This new component allows EZ length adjustment of the outer strap, without the need for the user to remove their weight from the device. With just a flick of the wrist, users can adjust the strap by simply tapping the BuckHorn™.

NOW WITH
3600 LB
GATE RATING



**EZ Squeeze™
Rope
490R**



**EZ Squeeze™
Web
490DWMS**

Great with:



BuckGrab™, WebGrab™ & OX Block™ Friction Bar Gauge 6308

This gauge allows you to inspect your BuckGrab™, WebGrab™, and OX Block™ all with a device the size of a business card.

EZ SQUEEZE™ MODELS

MODEL NO.	DISTRIBUTION	TRANSMIS- SION	CARABINER/ WEB	CARABINER/ ROPE	SNAP/WEB	SNAP/ROPE
490W2	✓		✓			
490RT		✓		✓		
490DRDS	✓					✓





Buck LeverJust™ 9M8-8

The Buck LeverJust™ is a lightweight, all aluminum adjustable positioning lanyard. Featuring Buckingham's new LeverGrab™, a one-handed length adjusting hardware device for easy adjustments under load, when climbing or working. Ideal for Ladder work, secondary use on a pole, substation work, or anything involving steel structures. Key features include:

- ½" Kernmantle rope with red warning center to alert user of excessive wear.
- Stitched eye allows user to stow excess tail on a BuckTender or handline hook.
- Easily used with your left or right hand.
- Adjustable when under load—great for rescue and makes length adjustments easier than ever.
- The Buck LeverGrab™ works with ⅞" Kernmantle rope, ⅞" TrebleKern Tough Rope.
- Aluminum snap hook and carabiner reduce overall weight and meet ANSI requirements for 3600 lb. gates.
- Meets all applicable ANSI, OSHA and ASTM standards.

Available sizes: 6', 7', 8', 9', and 10'. Please contact Buckingham for additional sizes or styles. Upgrade to TrebleKern Tough Rope, which is nearly indestructible by ordering part number **92CM8-8**.



Buck LeverJust™ w/Tough Rope 92CM8-8

TOUGH ROPE eliminates the need for a wear guard!

Same as our Buck LeverJust™ 9M8-8 except with ⅞" TrebleKern rope. Buckingham's new wear-resistant Tough Rope is constructed with an energy absorbing nylon core, red braided polyester inner core cover (red wear indicator) and an abrasion and heat resistant Technora outer jacket that eliminates the need for a wear guard. No more jamming of your wear guard! Meets all applicable ANSI, OSHA, and ASTM standards.

Available with an all black Tough Rope; order model **92EM8-8**



BUCKADJUSTER™ SECONDARIES



BuckAdjuster™ w/All Aluminum Components & Superfabric 8' : 9A4+R-8 6' : 9A4+R-6

Aluminum snap hook and carabiner meet ANSI requirements for 3600 lb. gates. Twisted eye length adjusting device for proper orientation on the user's body belt. **Don't want a wear guard? Tough Rope option available: model 92C+R-8.** Meets applicable ANSI, OSHA and ASTM standards.

With a Super Fabric sleeve for protection from excessive wear. Helps rope slide easier on pole or ladder.



BuckAdjuster™ w/Steel Hardware and Clear Rubber Tube 8' : 9-8 7' : 9-7 6' : 9-6

A fully adjustable positioning lanyard (APL) that features the BuckGrab™ and a 90 degree twist in the eye of the cam for use with a line workers body belt. The BuckAdjuster™ has a full red core wear indicator. Other features include: user friendly patented Buckingham double locking rope snap, clear protective tube to help provide maximum rope life, and a stitched eye that allows user to minimize length for easy storage.

Clear plastic tube protects rope when in use.



**BuckTender
Single Leg
2404**

Also Available in
Heritage Leather
2404-BH



**BuckTender
Dual Leg
2404D**

Also Available in
Heritage Leather
2404D-BH


The BuckTender is a lightweight, compact retractable designed to keep excess slack from the tail of the BuckAdjuster™ secondary lanyard or wood pole fall restriction device out of the way while climbing and working. It also allows the user to make length adjustments without having to remove the tail from a hand line hook or ditty bag. The BuckTender is available with a single leg or dual leg (if user has the tails of both the secondary lanyard and wood pole fall restriction device on one side). The BuckTender will break away when approximately 50 lbs. of force is applied.

See the video: BuckinghamMFG.com/videos



SUPERSQUEEZE™

The SuperSqueeze™ provides superb Wood Pole Fall Restriction. With Buckingham's patent pending WebGrab™ the SuperSqueeze™ can be adjusted with just a flick of the wrist. The SuperSqueeze™ can be configured to fit many climbing styles and needs, and it's modular design makes it easy to change out damaged components or straps in the field. Rated to 350 lbs. All straps & rope have red warning center to alert the user of excessive wear. 3600 lb. Gate Rated Hardware. CSA AB Certified.



**SuperSqueeze™
488DWMS**

OTHER SUPERSQUEEZE™ FEATURES

Other features include:

- Buck WebGrab™ provides easy one handed adjustment of the brown strap & green strap
- Can be configured for right handed or left handed individuals
- One disconnect to climb over an obstruction
- Lightweight design: Rope model = 4.5 lbs. & Web model = 4.85 lbs.
- Meets ASTM F887-13 including dry pole, wet pole, conduit & iced pole
- Modular design for easy strap change out can easily change out worn or damaged components or straps in the field
- Can easily be configured for rope or web strap



**SuperSqueeze™
488W2**

Carabiners allow inner web strap to be removed for easy field replacement or to move the web grab from left hand to right hand.



**SuperSqueeze™
488DRDS**

Snap hooks on rope inner not removable so they won't get misplaced or lost.



**SuperSqueeze™
488R**

Rope inner allows for easier movement of SuperSqueeze™ up and down the pole. Superfabric wear guard on rope decreases wear and moves against the pole easier. Rope has red wear center for easier inspection.



**SuperSqueeze™
488W2Q3**

Web inner strap is abrasion resistant and moves easily across the pole and through the hardware. Has red wear center for easier inspection.

SUPERSQUEEZE™ MODELS

MODEL NO.	DISTRIBUTION	CARABINER/ WEB	CARABINER/ ROPE	SNAP/WEB	SNAP/ROPE
488W2	✓	✓			
488W2Q3	✓			✓	
488R	✓		✓		
488DRDS	✓				✓

Build your own EZ Squeeze™ or SuperSqueeze™ at BuckinghamMFG.com



04 BODY BELTS

(All Buckingham 4-D Body Belts are Patented)



ADJUSTABLE 4-D BODY BELTS

Watch the video on how to adjust by scanning this code



The revolutionary Patent Pending Adjustable 4 D-Ring Body Belt™ offers an adjustable man rated upper belt strap and an adjustable lower work positioning D-piece that allows the user to customize the size of the body belt at any given moment. Users will now have a belt that can adjust three to four D sizes. The Adjustable Body Belt™ takes all of the features of our popular Short Back Mobility Belt™ and builds them into this new game-changing belt. This belt is perfect for those who work in areas of the country where there are large temperature swings – when one part of the day or season you could be wearing only FR pants and shirt, then next you could be wearing heavy duty Carharts. Having an adjustable belt allows the user to adjust for comfort and practicality. This belt is also great for those entering the trade who may either lose weight during line school or gain weight throughout their career. *All Buckingham 4 D Body Belts are patented.*

ADJUSTABLE BODY BELT SIZING CHART

Belt Size	S	M	L	X
D-Size	20, 21, 22, 23	23, 24, 25, 26	26, 27, 28, 29	29, 30, 31, 32, 33



Adjustable Short Back Belt™ 20192CM-SIZE

- 4 stacked & fully floating D-Rings.
- The 4 D-Rings support and make the use of wood pole fall restriction devices extremely simple. We recommend the EZ Squeeze™.
- Fully padded 7" short back makes long days more comfortable. High-quality and ultra-soft leather makes for that instant "broke-in" feel.
- Features four sizes – small, medium, large, X-Large.

Also Available in Heritage Leather
20192CM-SIZEBH

Adjustable TriFit™ Short Back Belt 20192C3M

A truly one-of-a-kind and fully adjustable belt, now equipped with 3 forms of adjustment. The patent pending Adjustable TriFit™ Short Back Belt allows the user to easily adjust both the upper and lower sets of D-rings AND offers an adjustable man-rated upper belt strap.

Features:

- Larger Aluminum upper D-rings reduce the overall weight of the belt and make it easier to connect a secondary lanyard for transitioning.
- Perfect for those who work in areas of the country where there are large temperature swings – when one part of day or season you could be wearing only FR pants and shirt, then next you could be wearing heavy-duty Carhartt's. Having an adjustable belt allows the user to adjust for comfort and practicality.





**6-D Adjustable Body Belt
20122CM1**

The revolutionary patented multi-hole D-ring provides numerous points of connection for both your primary (WPFR) and secondary lanyard (s). The numerous points of connection allow the user to climb, work, and transition in several different configurations. 2 ½" offset connection points prevent the WPFR device and secondary lanyard from binding on each other.

Features:

- Offers an adjustable man-rated belt strap and an adjustable work positioning D-piece that allows the user to customize the size and feel of the belt.
- Low profile construction of a 2-D Body Belt, with the functionality of a 4-D stacked Body Belt, reducing surface area and weight overall.

Also available with a Quick Connect Belt Strap!
Model **20122CKM1**



**Adjustable Mobility Belt™
20182CM-SIZE**

- The 4 D-Rings supports the use of wood pole fall restriction devices, like the New Buckingham EZ Squeeze™.
- 4 stacked & fully floating D-Rings.
- Fully padded 9" high back wrapped in high-quality ultra-soft leather for that instant "broke-in" feel.
- The Buck Mobility™ offers a man-rated upper belt strap that is bound to the lower work positions strap by 1 ¾" web.
- Features four sizes – small, medium, large, x-large



**BuckSeat™
4305-SIZE**

The BuckSeat represents the next evolution in our line of body belts with seats. With adjustable features for the waist, seat, and upper D rings, customize your fit for optimal comfort and security. This body belt has a bottom cushion or "seat" for added support while climbing, unique to our current line of body belts.

Features:

- Additional D-Rings which are ideal for use when a secondary lanyard is used to climb over obstructions.
- Handcrafted with high-quality leather.
- Full float body belt.
- 5" foam cushion back/bottom pad.
- 4 stacked D-Rings.
- Durable design and secure fit.
- Adjustable fit and sizing.
- Maximum comfort with added "seat".



**2-D TrueFit™ Belt
1998C**

A **Patent-Pending**, fully adjustable, 2-D TrueFit™ belt that allows your dee size to be adjusted between sizes 20-30. This belt can be retrofitted directly to any 'H' or 'X' style full-body harness. We suggest pairing this TrueFit™ Belt with one of our popular TrueFit™ harnesses, to create a fully adjustable body belt/harness combo!

Other features:

- Quick connect belt strap buckle for quick and easier donning.
- Interlocking buckles that allow the user to retrofit the belt to a harness.
- Steel d-rings.
- Lightweight, just 2.5 lbs.!
- Narrow back pad measuring 4 ¼" wide features 2 layers of FR material constructed with hook and loop connecting material that aids in the dee size adjustment.



Applications:

- Transmission tower
- Lattice tower
- Ladder
- Bucket truck (when retrofitted to harness)

Also available with quick connect buckles to retrofit belt to harness, order model **1998CQ2**



05 OX BLOCK™ & RIGGING



OX BLOCK™

The **OX BLOCK™** (*patented*) is a rope snatch block that features an integrated friction bar that can be used for hurtman rescue, lowering loads, snubbing loads, and raising heavy loads. It allows the rigging professional to handle loads with greater control. When lowering loads force is transferred from the worker to the **OX BLOCK™**. The **OX BLOCK™**, with greater working load limits, is designed to replace standard handline blocks, parted blocks and various snatch blocks.



**OX BLOCK™
W/SWIVEL EYE
50061**



**OX BLOCK™
W/CLEVIS TOP
& HOOK
50062C**



**OX BLOCK™
W/CLEVIS TOP
& OX HORN™
50062D**



**OX BLOCK™
W/BUCK PIN
50063**

Allows user to easily change attachments!



OX ACCESSORIES



**Buck Side Swivel™
Single Sheave
50071B1**

Heavy duty aluminum pulley with a single side swivel plate and swivel eye. Side plates are ideal for use with progress capture Prusik. 5/8" rope capacity.
WLL: 2500lbf



**Buck Rigger™
Double Sheave
5007R2**

Double sheave pulley with a swivel side plates and swivel eye. 1/2" rope capacity.
WLL: 1800lbf



**Buck Rigger™
Single Sheave
5007R1**

Single sheave pulley with a swivel side plate and swivel eye. 1/2" rope capacity.
WLL: 1800lbf



**Buck Side Swivel™
Double Sheave
50071B2**

Heavy duty aluminum pulley with double side swivel plates and swivel eye. Side plates are ideal for use with progress capture Prusik. 5/8" rope capacity.
WLL: 2500lbf



**Clevis Side Swivel™
Single Sheave
50072B1**

Same features as the regular Buck Side Swivel™ with the added benefit of the clevis top for additional attachment options and easier change out of accessories.
WLL: 2500lbf



**Clevis Side Swivel™
Double Sheave
50072B2**

Same features as the Clevis Side Swivel™ single sheave in a double sheave design.
WLL: 2500lbf



**Steel Double Action
Rigging Carabiner
5005S5**

Steel double-action carabiner w/MBS rating of 12,000 lbs. (55kN) and WLL of 2,500 lbf. (11kN). Rated to meet ANSI Z359 standards & ANSI A10-48.



**Buck Pin
223892R**

A SLIC Pin specifically customized to fit the OX clevis top. The Buck Pin allows the user to add or remove accessories more quickly and easily than the shoulder bolt does.



**10 MM
Capture Prusik
705A1-36**

10mm Prusik with an aluminum ring. Ideal for a progress capture when using Buck Side Swivels™ as mechanical advantage.



**OX TAIL™
39078TAG1-4
4' x 5/8" adjustable sling.
39078TAG1-7
7' x 5/8" adjustable sling.
WLL:
Straight 3200 lbf.
Choker 2560 lbf.
Basket 6400 lbf.**



**30" 8MM Progress
Capture Prusik
P9J8V-10-30S**

A 30" eye to eye Prusik made of 8mm Dyneema rope.



**BuckLink™ Sling
3903S-6**

The BuckLink™ is made of lightweight Spectra material. Each loop is rated to 5,000 lbs. With 16 loops, users can adjust the sling to form a rated anchor of any size.



**OX HORN
31291B**

2" gate opening. Replaces a non-rated "meat hook". WLL of 2500 lbs. w/gate closed. 1000 lbs. WLL w/gate open. For use on the Ox Block™ w/ clevis top.



**OX HOOK™
2406S**

Features a 3600lbf rated locking gate making rescue situations more efficient. WLL of 2500lbs with gate closed. 1000 lbs. WLL with gate open.



**Rigging Hook
223814R**

A hook latch meant strictly for attachment purposes, not to carry a load. Has a working load limit of 1 ton.



06 BUCKETS / BAGS / POUCHES & ACCESSORIES



THE BUCKPACK PRO™

The BuckPack™ Pro 4378

After years of development, we are proud to introduce a truly one of a kind gear bag that has been designed from the ground up to be the most versatile and feature packed gear bag available on the market!

Features:

- Constructed from heavy-duty waterproof vinyl and cordura material.
- High-grade zippers.
- 12 separates rows of Molle loops throughout the bag.
- Removable gear garage for all your hardware & devices.
- Numerous storage & access options that will not be found on any other gear bag including:
 - Massive front pocket to easily access gear.
 - Large upper pocket for helmet, gloves, and other gear you may want to easily access.
 - Rope access pocket allows you to access your rope without having to empty the bag of it contents. Great for access in the rain!
 - Pockets for climbers to save space & prevent accidental puncture of bag or gear.
 - Top access pocket w/drawstring closure to store/separate gear in top portion of bag.
 - Shoulder strap storage pocket.
 - Large back pocket for laptops or documents.



BUCK BIG MOUTH™ BAG

The Buck Big Mouth Bag is a new and improved equipment bag with an extended wide mouth (15 ½" x 22") to make it easier and faster for workers to store all of their PPE, gear, tools, and other items in their bag with ease. No more struggling to get your essentials into your bag and no more fighting to get it closed. To order with wheels, add **W1** to P/N.



Buck Big Mouth™ Bag
15 ½" Opening

Standard Bag
10" Opening

Measures:
22"L x 15.5"W x 19"H



**Buck Big Mouth Bag
(Safety Green)**
47333G9R5S



**Buck Big Mouth Bag
(Black)**
47333B3R5S

Lockable option w/two lock holes at left and right of bag closure for pad lock or cable lock available.

***Pad lock shackle must have height greater than 1 ¼". Pad lock / cable lock not included.*

**Lockable Big Mouth
Bag (Safety Green)**
47333G9L3R5S



For a Lockable Big Mouth Bag in black, use PN **47333B3L3R5S**

BUCKPACK™ EQUIPMENT BACKPACK

The BuckPack™ Equipment Backpack is large enough to carry all the equipment of a traditional tool bag. With a hard plastic bottom. All pockets have hook and loop closures. Features padded shoulder straps with adjustable chest strap. Zipped raw flap is designed to keep water out of bag. Carry handles at top of bag.



**Available with
Wheels and Pull Handle!**
4470G9W1

SMALL



**Front Pocket
Measures::**
12"L x 12"W

**Side Pocket
Measures::**
10"L x 6"W



**BuckPack™
Equipment Backpack
4470G9**

ORANGE:
4470O1

BLACK:
4470B3

LARGE



**Front Pocket
Measures::**
14"L x 15.5"W

**Side Pocket
Measures::**
20"L x 7"W



**BIG BuckPack™
Equipment Backpack
4471B3**

ORANGE:
4471O1

SAFETY GREEN:
4471G9





**Double Back Holster
42266-BL**
Remains rigid & prevents tight fitting tools from bending and buckling the back of pouch when removing tools. Features 5 pockets and a 2-way knife snap. Measures: 10.75" L x 8" W



Also Available in
Heritage Leather
42266-BH



**Short Back Double Back Holster
42266S-BL**
This model features a short back, 5 pockets, and a 2-way knife snap. Measures: 9.25" L x 8" W



Also Available in
Heritage Leather
42266S-BH



**Double Back Holster
42666-BL**
This model features 5 pockets, 2 way knife snap and a 6" knife sheath attachment.

Measures: 10.75" L x 8" W



Also Available in
Heritage Leather
42666-BH

VINYL NUT &
BOLT BAG

Vinyl, lightweight, easy to attach/detach from body belts with our snap and D-Ring connection.



**Vinyl Nut & Bolt Bag
4570G9**

CANVAS NUT &
BOLT BAG

Canvas, lightweight, easy to attach/detach from body belts with our snap and D-Ring connection. Reinforced top, drain holes and attachment straps. No bottom corners to trap small parts. Measures 10" D x 9" W.



**BuckViz™ Canvas
Nut & Bolt Bag
4570G4**



**Plain Canvas Nut &
Bolt Bag
4570**



**Black Canvas Nut &
Bolt Bag
4570B2**



**Black Nut & Bolt Bag
w/Magnet
4570B2M2**



MINI BUCKETS

Buckingham's new mini bucket now features a high-vis green color. Perfect for loose tools, connectors, nuts and other small parts and hardware. Another popular use is for a mini trash can in your truck or on your desk. Great for safety awards.



Plain Canvas
1231



Black
1231B4



Camo:
1231C6



Digital Camo
1231C9



Mini Bucket
1231G4



Replacement Handle: 1233

Rodeo
Mini Bucket
1231G4Q30



14" X 6.5" Canvas Bucket
12169H1K

A heavy duty bucket with a PVC bumper to keep the bucket from tilting and a molded rubber bottom. Has 12 inside pockets and measures 14" L x 6 ½" W x 10" H. For bucket without bucket hooks, order model **12169H1KL**.



Canvas Bucket
1215G9

A vinyl coated nylon bucket with a solid continuous PVC ring in the top and a molded rubber bottom. Bottom is made from high impact thermoplastic rubber for long lasting durability under the toughest working conditions. Polyester rope and swivel snap allows the tool bucket to be suspended.



BUCKET HOOKS

For more info on our assortment of bucket hooks please visit: Buckinghammfg.com/bucket-hooks.

PRODUCT #		SIZE	MATERIAL	FITS BUCKET SIZE	WORKING LOAD LIMIT
2410		3/4"	Nylon	2.5" Bucket Lip	40 lbs.
2410G		3/4"	Nylon	2.5" Bucket Lip	40 lbs.
2401		11/16"	Polymer	2.25" Bucket Lip	100 lbs.
2401-3		11/16"	Yellow Polymer	3" Bucket Lip	150 lbs.
2403		5/8"	White Nylon	3" Bucket Lip	150 lbs.
2405		1/2"	Polymer	3" Bucket Lip	100 lbs.
5034		3/4"	PVC	3" Bucket Lip	150 lbs.
5058		5/8"	PVC	Standard Lip Baskets	100 lbs.
5134		3/4"	PVC	-	200 lbs.
5334		3/4"	PVC	3" Bucket Lip	150 lbs.
5358		5/8"	PVC	3" Bucket Lip	100 lbs.
5434		3/4"	PVC	4.5" Bucket Lip	150 lbs.



BUCKFOLD™ SKINNING KNIFE



Buckingham's latest innovation, the BuckFold™ Knife, designed with the working professional in mind. With it's generously sized handle, the BuckFold™ is ideal for gloved hands, making it perfect for linemen and other professionals who require gloves during work.

Features:

- Durable Carbon Steel blade with Titanium Finish coating for razor-sharp precision.
- Lightweight portability at 0.5 lbs.

Buckingham BuckFold™ Skinning Knife

7092

Generously sized handle makes this ideal for gloved hands
OAL: 10.2"

For version with blunt blade, order model **70922**



BUCK SKINNING KNIVES



Buckingham's wide selection of skinning knives are well known for their strong, durable and long-lasting blades. The blade stays sharp, and when sharpening is needed the honing stone can put a sharp edge on the edge of the blade with ease.

Buckingham Skinning Knife

7089

Hard plastic red handle fits shotguns for remote skinning.
OAL: 9 ½"

For version with notch in blade, order model **70893**



Buckingham Cushioned Handle Skinning Knife

7090

Hand formed designed handle fits comfortably in the users hand.
OAL: 9 ½"

For version with notch in blade, order model **70903**



BUCKINGHAM ERGOBLADE™

The Buckingham ErgoBlade™ Lineman's Skinning Knife. Has a 1 ¼" diameter black or high-vis green rubber handle that fits comfortably in a gloved hand.

Features:

- The 5 ¾" long handle extends beyond the palm of the hand reducing the force needed to secure the knife while skinning cable.
- Textured rubber handle allows for an increased grip while working in inclement weather.

Buckingham BuckViz™ ErgoBlade™ Skinning Knife

7091G

The round handle allows the user to create the proper cutting angle by rotating the knife within the hand instead of constantly and repetitively turning the wrist.
OAL: 9 ⅝"

For version with notch in blade, order model **70913G**



Buckingham ErgoBlade™ Skinning Knife

7091

The round handle allows the user to create the proper cutting angle by rotating the knife within the hand instead of constantly and repetitively turning the wrist.
OAL: 9 ⅝"

For version with notch in blade, order model **70913**



BUCKCADDY™



BuckCaddy™ BUCKCADDY

A durable tool holder accessory designed to keep your tools and equipment organized and easily accessible. With a height of 6.5" and a width of 6", this versatile holder features a combination of two oval slots measuring 1.125" x 1.875", two rectangular slots measuring 0.5" x 2.125", and one central circular slot measuring 1.75" in diameter, to securely hold a variety of tools. Lightweight and durable steel design. Opening designed to fit up to 3/4" bolts. Portable size to easily accommodate limited storage space. WLL: 750 lbs.



GOAT WRENCH



Goat Wrench 7071

Made from alloy steel to withstand hard usage. The jaws are designed so that a nut, bolt or pipe is drawn further into the throat as pressure is applied.

BUCKLUBE



BUCKLUBE™ BUCKLUBE


Specially formulated for cleaning, lubricating and maintaining hardware & rubber goods.

Uses & Features:

- Tested and approved to ASTM F711 for cleaning fiberglass pruning poles and hot sticks.
- Cleaning solvent & lubricant for metals, plastics & rubber.
- Protects against oxidation & corrosion caused by moisture & UV rays.
- Non-flammable formula.
- High dielectric strength (22kv).
- Leaves a thin coat of silicone lubricant (will NOT harm EPDM rubber).
- Removes bloom from rubber goods.



TOOL TETHERS




Buck Tool Tether
600071

- Stretch cord surrounded by tubular nylon webbing with lock stitching at both ends for extra security.
- Twist locking aluminum carabiner (5005P) on one end.
- Adjustable tool loop on the other end.
- Maximum safe working capacity: 15 lbs.
- Length: 38 in – 51 in.
- Helps prevent injuries to workers below due to dropped tools.
- Conforms to ANSI/ISEA 121-2018
- NOT for fall arrest.



35 lb. Single Leg Tool Tether
600072

- Stretch cord surrounded by tubular nylon webbing with lock stitching at both ends for extra security.
- Twist locking aluminum carabiner (5005P) on one end.
- Adjustable tool loop on the other end.
- Maximum safe working capacity: 35 lbs.
- Length: 33 in – 51 in.
- Helps prevent injuries to workers below due to dropped tools.
- Conforms to ANSI/ISEA 121-2018
- NOT for fall arrest.



15 lb. Twin Leg Tool Tether
600073

- Stretch cord surrounded by tubular nylon webbing with lock stitching at both ends for extra security.
- Twist locking aluminum carabiner (5005P).
- Adjustable tool loop on each leg end.
- Maximum safe working capacity: 15 lbs. for each leg.
- Length: 33 in – 51 in.
- Helps prevent injuries to workers below due to dropped tools.
- Conforms to ANSI/ISEA 121-2018
- NOT for fall arrest.



Tool Holder Strap
600081

A tool holder strap that is designed to be girth hitched or cinched (using the safety green surgical tube slide) to the handle of a battery-operated tool to allow the tool to be stored on an accessory / bucket hook or used as a wristlet.



Arc Rated Tool Holder Strap
600081K

An arc rated tool holder strap that is designed to be girth hitched or cinched (using the pre-tied knot) to the handle of a battery-operated tool to allow the tool to be stored on a bucket hook or used as a wristlet.





**Chainsaw Lanyard w/Steel Ring Attachment
25G12A**

Features a 1 3/4" ring for suspension when not in use, an elastic bungee designed for safety and convenience that measures 48" and a tear away safety pack that activates when 200 lbs. of force is applied. 1 1/8" steel ring saddle end attachment.



**Chainsaw Lanyard
w/Bronze Snap Attachment
25G13A**

Features a 1 3/4" ring for suspension when not in use, an elastic bungee designed for safety and convenience that measures 48" and a tear away safety pack that activates when 200 lbs. of force is applied. 1 1/8" bronze snap saddle end attachment.



**Chainsaw Lanyard
w/Carabiner Loop Attachment
25G14A**

Features a 1 3/4" ring for suspension when not in use, an elastic bungee designed for safety and convenience that measures 48" and a tear away safety pack that activates when 200 lbs. of force is applied. 3/4" carabiner loop saddle end attachment.



**Gated Handline Carrier
2402G**

Buckingham's Gated Handline Carrier © takes our previous handline carrier (2402) and improved upon it in several ways. The carrier is made of Polymer and includes a hole to easily secure it to the body belt with a bolt or zip tie (zip tie included). The carrier will straighten when approximately 25 lbs. of pressure is applied and up to 35 lbs. when the handline gate is closed, allowing the handline to pull free.



**Heavy-Duty Gated Handline Carrier
2402GH**

The Heavy-Duty Gated Handline Carrier is a rigid handline carrier designed to breakaway when approximately 33 lbs. of pressure is applied. With the gate locked, the breakaway strength increases by 10 lbs. Ideal for transmission linemen or when using the OX BLOCK™ and related accessories.



**BuckCarrier™ Chainsaw Carrier
2402B**

The BuckCarrier™ is a lightweight (2.4oz) aluminum carrier designed to store your chainsaw on your saddle. It is the lowest profile chainsaw hook on the market and its compact design makes it nearly impossible to get caught on limbs and branches like other chainsaw carriers on the market. Can be used to carry practically anything!



OFFICIAL TRAINING PARTNERS

Buckingham Manufacturing is proud to work with the following training partners to provide training on products and systems that we offer.



SAFETYONE
TRAINING

SAFETY ONE TRAINING INC.

Safety One Training was founded with the vision to bring safety and rescue training services to snowcat operators. Since then, the company has grown, and the training programs have expanded into other areas such as utility, telecommunications, governments and military industries, as well as independent contractors. Safety One Training has become a leader in fall protection.

www.safetyoneinc.com



ArborMaster®

See You At The Top!®

ARBORMASTER

ArborMaster Training has been the leader and premier provider of private in-house hands-on customized training programs and regional open-enrollment courses through their innovative Safety, Skill and Productivity education and training for people and organizations who work with, in, and around trees.

www.arbormaster.com



NORTH AMERICAN
TRAINING SOLUTIONS

NATS

NATS mission is to empower people to live and work safely, creating a positive impact, and to be the best version of themselves by inspiring a culture of safety through leadership, sustainability, and integrity. They offer training and educational programs, share knowledge, resources, and tools to increase safety and efficiency in the workplace.

www.northamericantrainingsolutions.com



TOWER SAFETY

Tower Safety and Rescue provide courses with instructors who provide extensive knowledge in rigging, climbing, rescue, and installation. They have SPRAT Level 3 trainers and offer the best of all the rope access industries. Tower Safety is a Cell Tower, SPRAT, and Confine Space and Rescue Safety Training Company providing excellent training in safety and rescue learn, lead and live.

www.towersafety.com



