




BUCK TREE



BUCKINGHAM
BUCK
1896

2026

Safety Equipment for the Arborist
PN: 492036

VOL. 10

CONTENTS

*This mini catalog is a sampling of the thousands of products we manufacture.
For our full line, please visit BuckinghamMFG.com*

- 03 NEW PRODUCTS
- 07 SADDLES / BELTS
- 11 CLIMBERS / PADS /
ACCESSORIES
- 16 SRT/DRT PRODUCTS
- 18 SRS/MRS PRODUCTS
- 19 FALL PROTECTION/
CONNECTION
- 21 RIGGING
- 25 BUCKET TRUCK
- 28 EQUIPMENT BAGS /
ROPE BAGS
- 32 SAW SCABBARDS

NEW PRODUCTS



ArborAir™ Aluminum Tree Climber Kit ARBORAIRALKIT

FEATURES INCLUDE:

- More than 4 lbs. lighter than the closest competition!
- The ArborAir™ cuff is a one-piece design removing the need for additional components traditionally seen on our other kits.
- New weighted web-end designed to create grip, rigidity, and add weight to the end of cinch strap making it easier and faster to cinch and uncinch a pad.
- 4" wide upper strap with a cinch loop ensures a secure and snug fit.
- Patented GRiP™ (Gaff Ridge Position) technology keeps gaff pointed toward the heart of the tree, promoting ease of climbing and a more natural upright position.
- Gaff length: 1 ¾"
- 350 lb. user weight capacity. Meets ASTM F887 standard.

HOW DOES IT COMPARE TO OTHER KITS?

ARBORAIR™
5 LBS.

BUCKALLOY™ BLACK CLIMBER KIT
6.6 LBS.

CLOSEST COMPETITOR
9 LBS.

**NOW
AVAILABLE
IN STEEL**

ArborAir™ Steel Tree Climber Kit ARBORAIRSTKIT



ArborAir™ Wrap Pad For BuckAlloy™ Aluminum Climbers ARBORAIR

FEATURES INCLUDE:

- 4" wide upper strap with a weighted web-end that creates grip, rigidity, and adds weight to the end of cinch strap making it easier and faster to cinch and uncinch, ensuring a snug fit.
- The dual layer of compression padding, and lightweight cuff were ergonomically shaped to relieve pressure points and direct pressure to non-sensitive areas of the leg.
- A ¼" thicker than existing Buckingham Climber Pads.
- The ArborAir™ cuff is a one-piece design removing the need for additional components traditionally used in current Buckingham Pads.
- No insert necessary.
- Compatible with all BuckAlloy™ Aluminum Climbers.

**NOW
AVAILABLE
FOR STEEL
CLIMBERS**

ArborAir™ Wrap Pad For Steel Climbers ARBORAIRST





The BuckCraft™

17911-SIZE

- Our lightest saddle we have ever developed!
- Provides you with comfort and all the necessary features.
- Great saddle option for someone just entering the industry or for someone who wants to start mastering the craft!
- Easy one-handed adjustment.
- Lightweight, breathable, easily retro fits to Buckingham Saddles with rated full body harness attachment points.
- Meets all applicable OSHA standards.



The EDGE™ II Saddle

17910-SIZE

- One of our lightest saddles on the market, just 4.2 lbs!
- New breathable compression formed padding.
- New lower rigging plate hardware features options for a multi-bridge setup, forward lower D-Ring setup.
- 40" SherrillTree Midnight Ivy 11.7mm rope bridge with large 5000 lbs. 1-7/8" eye aluminum attachment ring.
- New lightweight aluminum Quick-Connect and Friction Buckles throughout that hold adjustment and extremely easy to adjust!
- 5 separate gear loops/hangers that are easy to reach no matter what position you are in.
- 4 web slots for chainsaw carriers and other accessories.
- multiple spot for first aid pouch storage.



The Navigator™ Saddle

1470-SIZE

- Industry leading support and comfort.
- Specially designed air-flow leg pads to properly support you while suspended or positioning.
- Dual Rope Bridge or Option for Segmented pocket Dual Rope Bridge.
- Rated attachment points for using the Retro-Y harness for use in the bucket.
- Specially designed DRT and SRT soft connection points for optimized positioning of your climbing system,



Buck Stability™ Saddle

1371-SIZE

- A modernized version of Buckingham's popular 1371 saddle, The Buck Stability™, is the future of economy saddles!
- Compression molded back pad for increased support and comfort.
- Lightweight, aluminum quick-connect waist & leg straps for quick, easy donning.
- 4 aluminum D-rings for work positioning needs.
- Five accessory loops to stow gear while working aloft.
- 3 small accessory dee rings are available for suspender attachments.
- Padded batten seat for added comfort.
- Water & moisture resistant construction.



The BuckTop™

U6270

- SRT chest harness that was designed to offer optimal comfort, flexibility, and options while climbing via single-rope technique.
- Elastic Retention allows optimal flexibility and movement to be as comfortable as possible.
- Lightweight, breathable and flexible padding that offers experience not found anywhere else in an SRT chest harness.
- Easy length and size adjustment at front, back and abdominal area.
- Easily add suspender straps to be used in conjunction with SRT harness or remove via QC buckle to use SRT harness stand alone.
- Optimal position for your climbing system with numerous connection points to find your sweet spot.



The **Throttle** is the ultimate mechanical rope climbing device for arborists, combining cutting-edge technology with rugged durability. Designed to excel in both MRS (Moving Rope System) and SRS (Stationary Rope System) climbing, the **Throttle** adapts effortlessly to your climbing style, whether you're ascending quickly with SRS or positioning yourself with precision using MRS. Ideal for climbers at any level, it offers unmatched performance and control, built to handle even the most demanding tasks in Arboriculture.


Proprietary dual articulating and self-adjusting cam system, specifically designed for maximum friction control. For use on 11mm - 13mm climbing lines. The Throttle includes our new Rope Capture Technology™, which helps prevent the potential of rope inadvertently coming out of the device. This is the highest quality and most versatile mechanical rope climbing device ever seen and was designed to deliver, perform, and grow with users at all levels of Arboriculture.

Easy to Learn Intuitive Design Unlike current devices available, the Throttle is the most user friendly, fully featured mechanical rope climbing device.

Durability / Product Lifespan Components are manufactured using 304 Stainless Steel and 7075-T6 Aluminum with Premium Grade Hard Coat Anodized. Rope Wear Components are modular and can easily be replaced.

Features Include:

- MRS (Moving Rope System) attachment point.
- Rated Auxiliary attachment point for second system or working positioning and SRS ascent harness/chest harness attachment point.
- Primary user attachment point.
- Lower plate release button for easy mid-line access.
- Unique proprietary upper plate locking mechanism for easily opening and closer upper plates for mid-line access.
- Unique tool-less friction adjustment mechanism for changing between an SRS system and MRS system. No other adjustments are needed when changing rope diameters (11mm - 13mm diameter rope capacity).
- Max user weight of 310 Lbs./141 Kg.



SuperSaver™ 64-6

Developed in conjunction with Jamie Chambrelli and the team at ArborMaster®. A truly revolutionary, patent-pending, double hole friction saver and canopy anchor system that will change the way you navigate the canopy forever! Our goal during development was to design a product that would provide you with all the standard adjustable Friction Saver functions.

- Adjustable Friction Saver
- Multi-Rope System: Two Line Configurations. Use SRT & DRT systems in-line & used on a single anchor device.
- Multi-Leg System: Spider Legging.
- Numerous SRS anchoring methods.
- Choking Spar Setup.
- Cinching Spar Setup.
- FlintLocker Canopy Anchor: Floating Anchor Device.
- Dedicated Rescue Line: When using Multi-Rope Setup.
- Redirects.
- No crash Retrieval.

Scan the QR
code to view
the video!



OUR LIGHTEST HARNESS EVER!



Featherweight Harness
6398JQ1

- Buckingham's ACT (Anti Chafe Technology) Collar™ features folded, stitched, and leather lined shoulder straps to reduce neck chafing while working overhead, creating a much more comfortable day on the job.
- Lightweight – just 2.8 lbs.
- Features a hook and loop chest strap and aluminum quick connect leg strap buckles for quicker and easier donning.
- Torso adjustment features no cumbersome web tails.



BuckEssential™ Fall Arrest Harness
w/BuckYard Lanyard Kit
U64C93Q3

- Interlocking chest and leg straps.
- Torso adjustment.
- Reinforced nylon stitching.
- Secure web loop for reliable fall arrest connection.
- H-Style harness for optimal weight distribution and balance.
- Universal sizing for a custom fit.
- Comes with a BuckYard™ (1 Snap) lanyard.



Scan the QR code to
watch a video of the
PeerCheck™ in action!

PeerCheck™
PEERCHECK-2

- Buckingham PeerCheck™ is a simple, inexpensive and portable alarm system that notifies the worker and crew if a lanyard connection to the bucket truck anchor point has been inadvertently forgotten.
- PeerCheck™ is the equivalent to your seat belt alarm in your car.
- While there are other options currently available, PeerCheck™ is inexpensive, simple to use, and portable.



The BuckPack™ Pro
4378

- Constructed from heavy-duty water-resistant vinyl and cordura material.
- 12 separate rows of Molle loops throughout the bag.
- Removable gear garage for all your hardware and devices.
- Numerous storage and access options that will not be found on any other gear bag.

Also available without
the Gear Garage™
4377



Buck Stability™ Saddle

1371-SIZE

A modernized version of Buckingham's popular 1371 saddle, The Buck Stability™, is the future of economy saddles! The Buck Stability™ is an economy saddle that has all the benefits of the original economy saddles, but with exponential improvements to comfort and functionality, all while remaining affordable.



FEATURES INCLUDE:

- Compression molded back pad for increased support and comfort.
- Lightweight, aluminum quick-connect buckle waist and leg straps for quicker and easier donning.
- 4 aluminum D-rings for work positioning needs.
- Five accessory loops to stow gear while working aloft.
- 3 small accessory dee rings are available for suspender attachments.
- Padded batten seat for added comfort.
- Water & moisture resistant construction.

BuckCraft™ Saddle

17911

The BuckCraft™ Saddle is our lightest saddle we have ever developed! The BuckCraft™ provides you with comfort and all the necessary features. Great saddle option for someone just entering the industry or for someone who wants to start mastering the craft!



FEATURES INCLUDE:

- Specially designed leg pads to provide proper support and comfort. Pads stay out of groin area and insure proper blood flow to legs.
- Quick Connect Buckles at waist and legs.
- Cool Flow padding at legs and backpad.
- Two accessory snaps for lanyard storage or handsaw/chainsaw storage.
- Large gear loops throughout.
- Easy suspension length adjustment.

The Navigator™ Saddle

1470

A generation of saddle development all packed into one saddle. Designed and engineered from the start by combining 100+ years of saddle R&D and a goal to introduce the most versatile and comfortable saddle to ever hit the market. For a replacement double rope bridge, order model **W7-46**.



FEATURES INCLUDE:

- Industry leading support and comfort.
- Specially designed air-flow leg pads to properly support you while suspended or positioning.
- Dual Rope Bridge or Option for Segmented pocket Dual Rope Bridge.
- Rated attachment points for using the Retro-Y harness for use in the bucket.
- Specially designed DRT and SRT soft connection points for optimized positioning of your climbing system,

The EDGE™ II Saddle

17910

The EDGE™ II was developed in conjunction with the team at SherrillTree. During development, we wanted to take all the key features of the EDGE™ that made it the staple it was and make them better. We did this by drastically reducing the weight, adding newly designed hardware components through-out, redesigning gear loops/hangers, adding breathable compression formed padding, and much more!



FEATURES INCLUDE:

- One of our lightest saddles on the market, just 4.2 lbs!
- New breathable compression formed padding.
- New lower rigging plate hardware features options for a multi-bridge setup, forward lower D-Ring setup.
- 40" SherrillTree Midnight Ivy 11.7mm rope bridge with large 5000 lbs. 1-7/8" eye aluminum attachment ring.
- New lightweight aluminum Quick-Connect and Friction Buckles throughout that hold adjustment and extremely easy to adjust!
- 5 separate gear loops/hangers that are easy to reach no matter what position you are in.
- 4 web slots for chainsaw carriers and other accessories.
- multiple spot for first aid pouch storage.



The Agility™ Saddle

1480

The Buckingham Agility™ saddle was designed in conjunction with Jamie Chambrelli, and the team at ArborMaster® Training Inc. Jamie is a lead instructor with ArborMaster®, Connecticut Licensed Arborist and production tree climber. During development, we looked at feedback around the industry including proper fit, adjustment slippage, mobility of suspension systems, proper support at legs and back, lower hardware options and other attachment options throughout the suspension, and a plethora of other issues with saddles around the industry. The Agility™ saddle was designed and built for "Work" with a focus on comfort, durability, mobility, and functionality. For a replacement rope bridge, order model **W5-46**.

FEATURES INCLUDE:

- The most feature packed and comfortable saddle on the market including all the features needed for the old school climber and the modern climber.
- New specially designed back pad for maximized support to prevent lower back injuries.
- Industry-first specially designed Leg Pad/Suspension system.
- New lower rigging plate hardware designed.
- Industry-first Segmented Rope Bridge/Suspension Bridge.
- "Stay Put" waist and leg straps.

ERGOVATION™ is a brand name of Buckingham MFG, developed in conjunction with C.O.R. Ergonomic Solutions.



Ergo Pro Saddle

17905

This saddle is the latest edition in the Ergo line and was developed between Buckingham Manufacturing and certified arborist Ed Carpenter and his physical-therapist sibling Dr. Amanda Carpenter. The Ergo Pro fits a range of climbing styles and motions. The bridge is made of durable and strong kernmantle rope, easily interchangeable additional bridges can be added. Includes two steel d-rings and numerous rigid accessory loops located in various positions

on the saddle, providing endless options of gear storage and custom ability. Small accessory carabiners and snaps on the sides are perfect for your handsaw. Strings on back of the saddle allow for storage of a first aid kit. The back and leg pads have moisture-wicking Drilex material so the user remains, cool, dry, and comfortable. The Ergo Pro meets the ASTM F887 standard. Available in Small, Medium, Large, & X-Large.



Ergovation Saddle

16906

A patented ergonomically designed saddle with a fully modular design for customized fit and comfort with an ergonomically designed back pad to contour the pelvis and support the lower back. Load distributing design for decreased pressure on the pelvis with increased padding

Ergonomic design, extreme comfort, 12 attachment points; great for removals; most highly developed saddle on the market.

in the pelvis and hip region. Features a waist tensioner and customize-able lumbar support for improved fit, abdominal stability and helps maintain optimal posture when climbing. This saddle has 12 different attachment points, the most of any that we offer.



Alta Verde Saddle

179061

The new BuckTree™ Alta Verde saddle is modeled after our popular Ergovation® saddle which brings the best of comfort, durability, fit, and function into a saddle. Designed by arborist for arborist!

FEATURES INCLUDE:

- Adjustable rope bridge with paws allowing for multiple connecting possibilities.
- Chainsaw attachment snaps and multiple attachment points.
- Quick connect buckles at the waist and leg straps. Lightweight aluminum work positioning D-Rings.
- Full floating suspension ring.
- 8 durable accessory loops.
- Contoured back/leg padding with sweat-wicking material.
- Abdominal stabilization strap with lumbar back support
- Fully adjustable waist/leg straps for ideal fit.

ACCESSORIES



The BuckTop™

U6270

The BuckTop™ is an industry leading SRT Chest Harnesses that is equipped with a suspender setup option. This allows The BuckTop™ to be used in conjunction with a saddle or can be used as a standalone SRT chest harness as well. Developed in conjunction with the team at ArborMaster®, we designed and engineered the BuckTop™ to be the most breathable, comfortable, and feature packed SRT chest harness available on the market.

FEATURES INCLUDE:

- SRT chest harness that was designed to offer optimal comfort, flexibility, and options while climbing via single-rope technique.
- Elastic Retention allows optimal flexibility and movement to be as comfortable as possible.
- Lightweight, breathable and flexible padding that offers experience not found anywhere else in an SRT chest harness.
- Easy length and size adjustment at front, back and abdominal area.
- Easily add suspender straps to be used in conjunction with SRT harness or remove via QC buckle to use SRT harness stand alone.
- Optimal position for your climbing system with numerous connection points to find your sweet spot.



Blood Stopper

4600D1G9

Quickly attaches to any Buckingham saddle or body belt. Features four different attachment types: D-ring, snap, web loop or snap/web loop combo. Contains one large blood stopper to control bleeding.



BuckCarrier™ Chainsaw Carrier

2402B

The lowest profile chainsaw hook on the market, its compact design makes it nearly impossible to get caught on limbs and branches like other chainsaw carriers. WLL is 15 lbs. Fits most popular saddles currently on the market.



BuckCarrier™ Chainsaw Carrier

2402BQ1

The BuckCarrier™ Chainsaw Carrier Kit features our new **2402B** BuckCarrier™ Chainsaw Carrier and is paired with a 1" nylon strap that measures 8" in length and may be girth hitched up to a 3" belt strap, 4.5" tall, 3/4" wide and 1.75" deep. WLL equivalent to 15 lbs. Fits most popular saddles currently on the market.




02 CLIMBERS/ PADS/ ACCESSORIES

CLIMBER STYLES

Designed to be used by a person with a maximum weight of 350 lbs. when fully equipped.

Non Contoured Shank




Contoured Shank




Provides ankle bone relief

Twisted Shank*




Designed to follow the muscle contour

Offset Stirrup



Places stirrup in center of foot

Stirrup Width 4"



*Available on all Buckingham pole climbers. Add a 'T' suffix; e.g. T94089AT.

Comfort & Fit for Narrow or Standard Width Stirrup

STIRRUP TYPE	STIRRUP WIDTH	SHORT SLEEVES	LONG SLEEVES
Standard	4 ½"	15 ¾" to 18 ½"	18 ¾" to 21 ½"
Narrow	4"	14 ½" to 17 ¼"	17 ¼" to 20 ¼"

TO SIZE CLIMBERS

- Measure boot upper at the widest part of arch for correct stirrup width.
- With climber sleeve and pad attached, locate climber ½" below inside knee bone, mark location on the climber with a pencil (never scribe a line into the climber) & secure each sleeve with two screws per climber.

Note: For maximum mobility, pull pant leg up before fastening straps.

****All climbers also available with Pole Gaffs upon request****



HOW DOES IT COMPARE TO OTHER KITS?

ARBORAIR™
5 LBS.

BUCKALLOY™ BLACK CLIMBER KIT
6.6 LBS.

CLOSEST COMPETITOR
9 LBS.

ArborAir™ Tree Climber Kit

ARBORAIRALKIT

The ArborAir™ Tree Climber Kit is our lightest and most comfortable climber kit to date! Weighing just 5 lbs. per pair, making it nearly 1 lb. lighter than any existing Buckingham Climber Kits. Ergonomically designed to relieve pressure points and direct pressure to non-sensitive areas of the leg while climbing. This was accomplished using both a dual layer of compression padding and a lightweight plastic cuff that achieve the ultimate fit for comfort.

FEATURES INCLUDE:

- More than 4 lbs. lighter than the closest competition!
- The ArborAir™ cuff is a one-piece design removing the need for additional components traditionally seen on our other kits.
- New weighted web-end designed to create grip, rigidity, and add weight to the end of cinch strap making it easier and faster to cinch and uncinch pad.
- 4" wide upper strap with a cinch loop ensures a secure and snug fit.
- Patented GRiP™ (Gaff Ridge Position) technology keeps gaff pointed toward the heart of the tree, promoting ease of climbing and a more natural upright position.
- Gaff length: 1 3/4"
- 350 lb. user weight capacity. Meets ASTM F887 standard.

NOW
AVAILABLE
IN STEEL


ArborAir™ Steel Tree Climber Kit ARBORAIRSTKIT



GRiP TECHNOLOGY™

- Keeps the gaff pointed toward the heart of the pole.
- Aids in preventing cutouts, allowing for better, more comfortable setting of the user's foot and arch.
- Also allows optimum gaff placement on the pole and promotes ease of climbing.

Buckingham's Patented GRiP (Gaff Ridge Position) Technology™ allows linemen to "climb like the old timers but feel comfy like the new guys," says one Journeyman Linemen who has worn the BuckAlloy™ Climbers with GRiP Technology™.



GRiP TECHNOLOGY™

New GRiP Technology™ allows for an easier and deeper cut into the tree bark.



BuckAlloy™ Black Tree Climber Kit A95K1V-BL

After listening to customers who wanted a black climber, we developed a new climber kit. This new kit provides the safety and comfort you are used to with Buckingham products, but now features a popular new look, perfect for those just coming into the trade. GRiP (Gaff Ridge Position) Technology keeps gaff pointed towards the heart of the tree greatly reducing cut outs. Whether you are climbing a tree with thick bark or thin bark, the hybrid gaffs, measuring in at 2 1/16", gives the user the convenience to easily climb both.

INCLUDES:

- BuckAlloy™ matte black climbers.
- Black Cushion Wrap Pads with black
- Buck logo and BuckViz™ green stitching.
- Black Hook & Loop Climber Straps with
- BuckViz™ green stitching.
- BuckViz™ Magnetic Gaff Guards.

****All climbers also available with Pole Gaffs upon request****

BUCKLITE™ TITANIUM CLIMBER KITS W/GRiP

OUR
PREMIER
CLIMBER
KITS!



New GRiP
Technology™
allows for an
easier and
deeper cut into
the tree bark.

Weighing in at only 17 ounces, Buckingham's BUCKLITE™ Titanium Climbers with Patented GRiP Technology™ bring the best of strength, lightweight functionality, and comfort together in a climber that cannot be found elsewhere on the market. BuckLite™ Titanium Tree Climbers were already one of the most popular climbers out, now we have brought the fan-favorite & patented GRiP (Gaff Ridge Position) Technology™ to these climbers!

FEATURES AND BENEFITS:

- The only climber sets in our product line that includes both GRiP Technology™ and a contoured shank.
- Unmatched comfort in a Titanium climber and lightest Titanium climber available.
- Dowel & Screw design allows for easy gaff change out.
- High Strength-to-Density ratio (Strong and lightweight)
- Corrosion resistant titanium makes these climbers one of the most durable in the market
- BuckLite™ Titanium Tree Climbers are rated to 350 lbs and exceeds ASTM F887 standards
- Whether you are climbing a tree with thick bark or thin bark, the hybrid gaffs, measuring in at 2 7/16", gives the user the convenience to easily climb both.



BuckLite™ Titanium Climber Kit w/GRiP Technology™ TBG95K1V-SG

Includes:

- Black cushion wrap pads with cinch loop.
- Black hook and loop climber straps.
- BuckViz™ magnetic gaff guards.



BuckLite™ Titanium Climber Kit w/GRiP Technology™ TBG95K2V-SG

Includes:

- Black Big Buck™ Wrap Pads with cinch loop.
- Black hook and loop climber straps.
- BuckViz™ magnetic gaff guards.

STEEL TREE CLIMBER KITS

The Buckingham Steel Tree Climber kit comes with industry-leading gear that is proven, durable, and cost-effective. The climbers are rated to 350 lbs. and exceeds ASTM F887 standards.

FEATURES AND BENEFITS:

- Tree gaffs make these climbers ideal for all different types of bark on trees
- Dowel & Screw design allows for easy gaff change out.
- Hook and Loop foot straps that make putting on your climbers a breeze.
- Magnetic Gaff Guards in BuckViz™ Safety Green for easy visibility and protection for your gaffs.



Steel Tree Climber Kit SB95K2V-BL

Includes:

- Black Big Buck™ Wrap Pads with cinch loop.
- Black hook and loop climber straps.
- BuckViz™ magnetic gaff guards.



Steel GRiP™ Tree Climbers SBG95089

A steel tree climber that has a contoured shank, offset stirrup, and dowel & screw style replaceable gaff. Now features Buckingham's patented GRiP™ technology that keeps the gaff pointed toward the heart of the tree, which reduces cutouts and maximizes comfort. Feature **21391** Nylon Foot Straps and standard length sleeves, **9204**, adjusting from 16 1/4" to 18 3/4". Rated to 350 lbs and exceeds ASTM F887 Standards.



ArborAir™ Wrap Pad

ARBORAIR

The ArborAir™ Wrap Pad is a state of the art, lightweight climber pad constructed from a dual layer of compression padding, and a lightweight cuff to accomplish the ultimate fit. Our lightest and most comfortable pad yet!

FEATURES INCLUDE:

- 4" wide upper strap with a weighted web-end that creates grip, rigidity, and adds weight to the end of cinch strap making it easier and faster to cinch and uncinch, ensuring a snug fit.
- The dual layer of compression padding, and lightweight cuff were ergonomically shaped to relieve pressure points and direct pressure to non-sensitive areas of the leg.
- A ¼" thicker than existing Buckingham Climber Pads.
- The ArborAir™ cuff is a one-piece design removing the need for additional components traditionally used in current Buckingham Pads.
- No insert necessary.
- Compatible with all BuckAlloy™ Aluminum Climbers.

NOW
AVAILABLE
FOR STEEL
CLIMBERS

ArborAir™ Wrap Pad For Steel Climbers ARBORAIRST



Quick Connect Climber Pads

35021K1

The quick connect buckle will shave time off your speed climb in a rodeo or simply allow you to step into your gear quicker on the jobsite. Either way this is a major time saver!

FEATURES INCLUDE:

- A 4" angled design.
- Metal insert designed to keep the climber shank stationary to reduce chafing to leg.
- ¾" cushion padding for comfort.
- Quick connect buckle for a simple, easy, and secure attachment.
- Compatible with Buckingham BuckAlloy™ Climbers.



Big Buck™ Wrap Pad for Titanium/Steel Climbers

3202

The Big Buck™ Wrap Pad is a combination of your two favorite climber pads. We have taken the adjustability of the hook and loop wrap pad, the increased surface area of the Big Buck™ pad and added a moisture wicking Dri-lex lining.

MORE FEATURES:

- Increased surface area to distribute pressure.
- Thick comfortable pad and moisture wicking Dri-lex lining.
- Features the adjustability of Hook and Loop Wrap
- Steel "C-Pad" insert for proper climber shank position.
- Rolled edge to prevent chafing.
- Compatible with Buckingham titanium & steel climbers.



Black Continuous Wrap Pad for BuckAlloy™ Climber

35021-BL

Introducing the popular Cushion Wrap Pad for BuckAlloy™ Climbers with a new look! These Hook and Loop cushion wrap pads were designed to easily be put on, taken off, and adjusted.

MORE FEATURES:

- A 4" angled design
- Metal insert designed to keep the climber shank stationary to reduce chafing to the leg.
- ¾" cushion padding for comfort.
- Continuous wrap. Great for rodeo competition!
- Maximum adjustability.


Big Buck™ Wrap Pad for BuckAlloy™ Climber
32021C

Adjustable hook and loop with increased pad surface area and a moisture wicking Dri-lex lining. Has Hook and Loop Wrap Steel "C-Pad" insert for proper climber shank position, cinch loop to provide an extra tight fit, and a rolled edge to prevent chafing. For Big Buck™ Wrap Pads for BuckAlloy™ climbers with no cinch use **32021**. Use p/n **3202C** for *Buckingham Steel and Titanium Climbers*.


Cushion Wrap Pad for BuckAlloy™ Climber
35021C

An angled style hook and loop pad that a continuous wrap and a metal insert to fit the BuckAlloy™ Aluminum Climbers. Measures 4" W with 3/4" padding. Use **3502C** for *Buckingham Steel and Titanium Climbers*.


Climber Footplate
35033

Climber footplates compatible with any steel or titanium climber. Provide added comfort when standing on a pole. Two plates, one with a rubber sole that faces down, fasten together on the climber stirrup with two screws. Not for use with aluminum climbers.


Climber Footplate for BuckAlloy™ Climbers
350331

Compatible w/BuckAlloy™ climbers. Added comfort when standing on a pole. Two plates, one with a rubber sole that faces down, fasten together on the climber stirrup with two screws. Not for use with Steel and Titanium climbers.


Tree Gaff Maintenance Kit
6026

Tools for inspecting and performing tree gaff maintenance. Includes smooth single cut file (6058), tree gaff gauge (6306) and finishing hone (6501).


Tree Gaff Gauge
6306

Designed to correctly shape gaffs that are essential for climbing and should be your guide to proper shaping. It is compact, uncomplicated, revealing and indispensable.


BuckGuard™ 2.0 Retractable Gaff Guard (Set of 2)
6911

Developed so you never have to worry about losing a gaff guard again! New and improved thicker construction increases the size of the lip of the gaff guard by 2 times, along with a change in composition of the materials in the plastic has doubled the strength of the magnetic gaff guards. New leather protective case reduces the risk of potential breakage or damage to the retractor in most situations.


Magnetic Gaff Guard
6909M2

Our new magnetic gaff guard features a strong magnet that keeps it securely attached to all manufacturers pole and tree gaffs. Easier to find in the field.


Hook & Loop Fastener Lower Straps
21401C

Soft, pliable 1 3/4" nylon. Offers an increased surface area for added comfort to the top and back of the foot. The hook and loop cinch provides a fast and easy attachment while providing the user an extra tight fit. Overall length 29".


Buck FastStrap™ Quick Connect Climber Foot Straps
21402

Great for rodeo competitors, comfortable, convenient, and adaptable. With a hook & loop design for quick and easy adjustments while providing the user an extra tight fit. Easily adapts for use on your climbing boots, rubber boots, and winter over boots.


Two Piece Foot Strap
21391

A two piece nylon foot strap with split ring. Measures: 1" W x 26" L.

Now available in Black Biothane, order model **21391B**.





SuperSaver™


PN 64-6

Developed in conjunction with Jamie Chambrelli and the team at ArborMaster®. A truly revolutionary, patent-pending, double hole friction saver and canopy anchor system that will change the way you navigate the canopy forever! Our goal during development was to design a product that would provide you with all the standard adjustable Friction Saver functions. But we also wanted to design in a plethora of other revolutionary functions as well, including the use of both SRT (Single-Line/Non-Moving Rope System) and a DRT (Double Rope/Moving Rope System) on the same anchor at the same time using one product! The SuperSaver™ offers endless opportunities for new and existing ways to navigate the canopy safely and is the most revolutionary and versatile adjustable friction saver and canopy anchor combination ever seen!

FEATURES INCLUDE:

- Adjustable Friction Saver.
- Multi-Rope System: Two Line Configurations. The use of both SRT & DRT systems in-line and used on a single anchor device.
- Multi-Leg System: Spider Legging.
- Numerous SRS anchoring methods.
- Choking Spar Setup.
- Cinching Spar Setup.
- FlintLocker Canopy Anchor: floating anchor device.
- Dedicated Rescue line: When using Multi-Rope Setup.
- Redirects.
- No-Crash Retrieval.

Scan the QR code for video



SuperSaver™

FL Prusik

P9S8V+P-16

FlintLocker Double hole SuperSaver™ friction ring with prusik attached.



The SuperSaver™ Kit

63-6

Includes

- The SuperSaver™ with double hole friction ring hardware with FL prusik,
- Qty 2: AmericanO (oval) ANSI rated carabiners
- Qty 2: Retrieval Keys and an installation accessory snap/carabiner.





The BuckSLAP™ 3913

The BuckSLAP™ (Stationary Line Anchor Point) is a new revolutionary anchor method developed in conjunction with Casey 'RAY' Crump, an ISA Certified Arborist and Site Safety Project Manager for North American Training Solutions (NATS). Originally thought up as a floating anchor device to address issues with canopy anchors being difficult to retrieve after doing a single redirect but after endless hours of field testing, we have found the BuckSLAP™ provides incredible versatility. We found that the BuckSLAP™ takes current complex SRS anchoring methods/products and puts them into an ultra-compact, simple, and much more useful device.

Features and Benefits:

- Designed as a canopy anchor device for remote or manual installation in the canopy of a tree to provide an approved anchor.
- Removes knots from the climber's system & uses the full strength of a manufactured eye.
- Color coated in BuckViz™ Safety Green to reduce chance of miss-configuration & can be easily verified from the ground.
- Reduces hazard exposure by reducing components & complexity to a climber's system, also adding better rescue readiness & reducing the potentials for failure.
- Fast use on spar pole work as a choking false crotch, & it can retrieve very easily meaning no "spiking down".
- Acts as a floating anchor & performs the same way a base tie would when retrieving after climber redirects.
- If the tie-in is difficult to isolate, the climber advances the system by simply unclipping & re-clipping their carabiner.
- Can aid in rescue by pre-installing a second climbing line on the retrieval side; only if the victim is weighted in the working end, then a rescuer would be able to simply use the pre-installed line to access the tree.
- The short 7.75" length increases your anchor stability by reducing slippage & increasing the cinching performance.
- Large diameter aluminum rings give a more preferred bend radius on your climbing line.

The TreeSqueeze™ 3.0 7W08T18F7+J1

The TreeSqueeze 3.0 is an innovative work positioning lanyard that allows for a secured ascent all the way up the tree, giving you all the safety and confidence needed when out in the field.

Features Include:

- Large steel thimble that allows the TreeSqueeze™ 3.0 to be midline attachable.
- Perfect for fall restraint work while positioned in a tree!
- Can be used as a choking lanyard system in the event of a gaff out.
- Easily create tie-in point where natural tie-in doesn't exist for fast and safe descent or self-rescue.
- Doubles as a retrievable friction saver.



Web Friction Saver 57-48

ArborMaster Friction Savers allow for easy installation and retrieval from the ground. Benefits include less bend radius, less friction (easier to climb), and reduced wear to a rope. Can be used as a false crotch. **RATED FOR HUMAN SUPPORT ONLY.**

Reasons to Use a Friction Saving Device:

- Saves tree cambium and rope from scalding through bark
- Reduces surface wear and grit forced into critical lines
- Reduces energy required to ascend on an SRT system
- Greatly enhances friction hitch response during movement and especially descent





The **Throttle** is the ultimate mechanical rope climbing device for arborists, combining cutting-edge technology with rugged durability. Designed to excel in both MRS (Moving Rope System) and SRS (Stationary Rope System) climbing, the **Throttle** adapts effortlessly to your climbing style, whether you're ascending quickly with SRS or positioning yourself with precision using MRS. Ideal for climbers at any level, it offers unmatched performance and control, built to handle even the most demanding tasks in Arboriculture.

Proprietary dual articulating and self-adjusting cam system, specifically designed for maximum friction control. For use on 11mm - 13mm climbing lines. The Throttle includes our new Rope Capture Technology™, which helps prevent the potential of rope inadvertently coming out of the device. This is the highest quality and most versatile mechanical rope climbing device ever seen and was designed to deliver, perform, and grow with users at all levels of Arboriculture.

Easy to Learn Intuitive Design Unlike current devices available, the Throttle is the most user friendly, fully featured mechanical rope climbing device.

Durability / Product Lifespan Components are manufactured using 304 Stainless Steel and 7075-T6 Aluminum with Premium Grade Hard Coat Anodized. Rope Wear Components are modular and can easily be replaced.

Features Include:

- MRS (Moving Rope System) attachment point.
- Rated Auxiliary attachment point for second system or working positioning and SRS ascent harness/chest harness attachment point.
- Primary user attachment point.
- Lower plate release button for easy mid-line access.
- Unique proprietary upper plate locking mechanism for easily opening and closer upper plates for mid-line access.
- Unique tool-less friction adjustment mechanism for changing between an SRS system and MRS system. No other adjustments are needed when changing rope diameters (11mm - 13mm diameter rope capacity).
- Max user weight of 310 Lbs./141 Kg.





THROWBAGS

Buckingham throwbags have a tighter, more aerodynamic design with all seams reinforced with two rows of stitching. Available in a variety of colors and in weights ranging from 8 oz - 20 oz. For more bags and environmentally friendly bags, visit BuckinghamMFG.com.




Teardrop



Rubber Dip


THROWLINE TECHNIQUES

Both of the following techniques achieve great distance and accuracy.



THE ONE HAND METHOD:

The user can tie a slippery half hitch in line, waist high. This gives him a good finger hold.



THE TWO HAND METHOD:

The line can be passed back through the steel ring creating two finger holds. It is then swung back and forth between the legs and tossed into the tree.

Reaches heights of over 100ft safely and effectively.

Can be easily replaced in under 20 seconds.



The BuckLaunch™ 1027G

The BuckLaunch™ was specially developed to give you the ability to safely launch throw weights in an efficient, accurate, and safe manner. We know how tough it can be to accurately get your line into the canopy, especially when using the hand tossing method. The BuckLaunch™ also goes great with Buckingham's rooftop fall protection system and makes the linemen's life much easier. The BuckLaunch™ gives you a reliable product that was designed to be easily workable.

- Heights of over 100' can be achieved in a safe and accurate manner.
- Unlike other related products on the market, the BuckLaunch™ pouch and tubing are easily replaced and can be replaced in less than 20 seconds.
- The BuckLaunch™ is easily attached to fiberglass poles. Must be used with heavy duty grade poles.
- The BuckLaunch™ (1027G) comes with base pole & extension pole. Use PN 1027GH to order head only or for a replacement head.



BuckShot Premium Throwbag

The BuckShot Premium Throwbags were designed to be aerodynamic and durable. The two-color design featuring BuckViz™ Safety Green allows for easier visibility in the canopy. Made from durable Cordura fabric and double stitched with heavy nylon thread, providing a throwbag that will not only perform but also last! *Made with durable Cordura fabric and heavy nylon stitching.*


- Durable nylon web loop at the bottom allowing you to use a carabiner for line attachment.
- High-quality Nickel Plated 1" ring (16A) or ¾" D-ring (16AD) at the top.
- The two-color design allowing for easier visibility.
- Hi-Vis branding allowing you to easily identify the weight of your bags.

Weight	1" Ring at Top	¾" D-ring at Top
8 oz	16A-8BG	16AD-8BG
10 oz	16A-10BG	16AD-10BG
12 oz	16A-12BG	16AD-12BG
14 oz	16A-14BG	16AD-14BG
16 oz	16A-16BG	16AD-16BG

BUCK TOOL TETHERS

Dropping tools at height is serious, save yourself the worry of dropping a tool with the Buck Tool Tether lanyard that keeps your tools secured and close to you. Expands smoothly with the user's reach to reduce fatigue and contracts easily to the original length when not in use. Helps workers prevent injury, damage, and lost productivity from dropped tools.

- Stretch cord surrounded by tubular nylon webbing with lock stitching at both ends for extra security.
- Twist locking aluminum carabiner (5005P) on one end.
- Helps prevent injuries to workers below due to dropped tools.
- Conforms to ANSI/ISEA 121-2018.
- NOT FOR FALL ARREST




Buck Tool Tether
600071

Maximum safe working capacity: 15 lbs.
Length: 38 in - 51 in.



35 lb. Single Leg Buck Tool Tether
600072

Maximum safe working capacity: 35 lbs.
Length: 33 in - 51 in



15 lb. Twin Leg Buck Tool Tether
600073

Maximum safe working capacity: 15 lbs. for each leg.
Length: 33 in - 51 in

TOOL STRAP HOLDERS



Tool Holder Strap
600081

A tool holder strap that is designed to be girth hitched or cinched (using the safety green surgical tube slide) to the handle of a battery-operated tool to allow the tool to be stored on an accessory/bucket hook or used as a wristlet.



Arc Rated Tool Holder Strap
600081K

An arc rated tool holder strap that is designed to be girth hitched or cinched (using the pre-tied knot) to the handle of a battery-operated tool to allow the tool to be stored on a bucket hook or used as a wristlet.

CHAINSAW LANYARDS

Feel safe with knowing your chainsaw will breakaway if too much force is applied, one customer states: "Works great! And I feel much safer knowing it will tear away if needed." – Danny



Chainsaw Lanyard w/Steel Ring Attachment
25G12A

This Chainsaw Lanyard features a 1 3/4" ring for suspension when not in use, an elastic bungee designed for safety and convenience and a tear away safety pack that activates when 200 lbs. of force is applied. This model features a 1 1/8" steel ring saddle end attachment.

Available Lengths:

- 46"
- 48"
- 50"



Chainsaw Lanyard w/Small Carabiner Attachment
25G13A

This Chainsaw Lanyard features a 1 3/4" ring for suspension when not in use, an elastic bungee designed for safety and convenience and a tear away safety pack that activates when 200 lbs. of force is applied. This model features a small carabiner end attachment.

Available Lengths:

- 42"
- 46"
- 48"
- 50"



Chainsaw Lanyard w/Carabiner Loop Attachment
25G14A

This Chainsaw Lanyard features a 1 3/4" ring for suspension when not in use, an elastic bungee designed for safety and convenience and a tear away safety pack that activates when 200 lbs. of force is applied. This model features a 3/4" carabiner loop saddle end attachment.

Available Lengths:

- 48"
- 50"

06 RIGGING



**OX BLOCK™
w/Swivel Top
50061**



**OX BLOCK™
w/Clevis Top
50062**



**OX Clevis Top
w/Buck Pin
50063**

The OX BLOCK™

The patented **OX BLOCK™** is a rope snatch block that features an integrated friction bar that can be used for hurtman rescue, lowering loads, snubbing loads, and raising heavy loads. It allows the rigging professional to handle loads with greater control. When lowering loads force is transferred from the worker to the **OX BLOCK™**. The **OX BLOCK™**, with greater working load limits, is designed to replace standard handline blocks, parted blocks and various snatch blocks. When configured with optional pulleys, the **OX BLOCK™** can be used to create a 4:1, 5:1 or 6:1 mechanical advantage reducing the amount of force needed to lift heavy loads. *Do **NOT** Shock Load - Always Rig Above The Load*

**Single Sheave
BuckRigger™
5007R1**



**Double Sheave
BuckRigger™
5007R2**



BuckRigger™

The advantage of the BuckRigger™ pulleys is the swivel side plate that allows for quick and easy rope installation without removing pulley from the connecting device. When configured with optional pulleys, the **OX BLOCK™** can be used to create a 4:1, 5:1, or 6:1 mechanical advantage reducing the amount of force needed to lift heavy loads.

Single Sheave BuckRigger™ features a 1/2" rope capacity and a WLL of 1800 lbf. Double Sheave BuckRigger™ features a 1/2" rope capacity and a WLL of 2000 lbf.

**Buck Side
Swivel™
50071B1**



**Dual Buck
Side Swivel™
50071B2**



Dual Buck Side Swivel™ 50071B2

Heavy duty sheave aluminum pulley with single or dual side swivel plate and swivel eye. Side plates are ideal for use with progress capture Prusik. 5/8" rope capacity. The side swivel plate allows rope to be installed/removed without disconnecting it from the anchor point. Specially designed side plates are ideal for use with progress capture prusiks. Swivel eye prevents twisting of ropes. Ideal for building mechanical advantage with the **OX BLOCK™**. Buck Side Swivel™ has an MBS of 10,000 lbf and WLL of 2500 lbf.



BuckBully™ 5007B1

The BuckBully™ is a high strength aluminum pulley designed to be used in conjunction with the popular **OX BLOCK™** for 5/8" synthetic rope. It features a maintenance free sealed bearing, delivering effortless pulling and side plates that are hard coat anodized and laser etched for long lasting durability. The side plate to sheave tolerance is tight enough that P-line or Mule Tape can be pulled through without getting jammed. All of this in a light weight package that can handle loads of up to 2,500 lbf. and is easily installed or removed from the rope.

PORT-A-WRAP

CUSTOMER REVIEW:

"These things never go bad unless you want to run over it with a semi truck."
—Matt

Buck PORT-A-WRAPs are compact rope friction devices designed for lowering heavy objects from height in a controlled and predictable manner. The Buck Port-A-Wrap has been widely popular among the modern-day arborist, old school arborist would lower heavy wood by wrapping the lines around

nearby trees causing damage to trees and often causing accidents. With the Buck Port-A-Wrap lowering heavy wood can be controlled and done at a much faster pace while also lowering the potential for an accident. The user-friendly design also makes attaching rigging line a breeze!

MODEL	MATERIAL/COATING	SIZE	MAX ROPE CAPACITY	WEIGHT	MBS	WLL
601MN 	Nickle Plated Steel	5.5" L x 6.5" H x 1.23" OD	1/2" Rope	2 lbs.	7,000 lbf.	1,400 lbf.
601M 	Nickle Plated Steel/ Powder Coated	5.5" L x 6.5" H x 1.23" OD	1/2" Rope	2 lbs.	7,000 lbf.	1,400 lbf.
601N 	Nickle Plated Steel	7.25" L x 9" H x 1.9" OD	5/8" Rope	4 lbs.	12,000 lbf.	2,400 lbf.
601LN 	Nickle Plated Steel	9.5" L x 11" H x 2.4" OD	3/4" Rope	7 lbs.	18,000 lbf.	3,600 lbf.
601L 	Nickle Plated Steel/ Powder Coated	9.5" L x 11" H x 2.4" OD	3/4" Rope	7 lbs.	18,000 lbf.	3,600 lbf.
601XN 	Nickle Plated Steel	13" L x 14" H x 3.5" OD	7/8" Rope	18 lbs.	60,000 lbf.	12,000 lbf.


Mini Rescue Port-A-Wrap
601MQ1

The Mini Rescue Port-a-Wrap is a budget friendly SRT rescue device. Port-a-Wraps are a popular choice rope friction device and can be used in a variety of ways.

- The Mini Rescue Port-a-Wrap is a 6.5" "Mini" POW. Easily secures to the tree, giving the user an SRT basal rescue device. The Red color indicates that it is a dedicated device.
- 20' Tenex Sling- a 12-strand single braid that offers high strength with low stretch and outstanding abrasion resistance. It is Samthane coated to provide abrasion resistance, enhance wear life, snag resistance, and increase ease of splicing.

EYE SLINGS

* Designates Sling Length

Eye Sling Features

- Made with Tenex or Stable Braid rope.
- Available in 5/8" and 3/4" diameter.
- Samthane coated enhancing wear life.
- See below for ordering information.

Model #	Rope Style	ABS	WLL
39074S - *	3/4" Stable Braid	20,400 lbf	4,080 lbf



WHOOPIE SLINGS

* Rated Capacities Are For Vertical Lift Use Only

Whoopie Sling Features:

- Adjusts in seconds from a minimum 3' to any desired length.
- Coated 5/8" or 3/4" Tenex Rope.
- See below for ordering information.

Model #	Adjustability	Rope Style	Rated Capacity (Choker) *
39078TA-6	3' - 6'	5/8" Tenex	2,560 lbf
39078TA-10	3' - 10'	5/8" Tenex	2,560 lbf




BUCKLINK™ SLING

The ultimate daisy chain style anchor sling that should be found on every truck across America. Made from 100% lightweight Dyneema material, each loop is rated to 5,000 lbs. With 16 loops, users can adjust the sling to form a rated anchor of any size and help tackle any situation or need they encounter while in the field.



BuckLink™ Sling
3903S-6

Available without carabiner,
order model: **3903SQ2-6**



LIGHTWEIGHT SUSPENSION SLING

The lightweight suspension sling is designed to be used as a personal anchor for human support and it can be choked or basket hitched. Its streamline size is very flexible so it's easy to handle and install. Steel rings allow any type of connector to be hooked to it. Comes with a wear protector for wrapping around sharp objects and increases the life of the sling.



Lightweight Suspension Sling
39021J12-2

**BuckLink™ Sling Kit*****KIT1**

The BuckLink™ Sling Kit features 4 Slings, 5 Carabiners and 1 Small Storage Bag. With the 4 Slings, they can make up a 4-Legged Sling and use the Carabiners however they want. Whether it's using the BuckLink™ Sling to rig an OX BLOCK™ or pulling wire and holding it up on a cross arm, this product is the ultimate daisy chain style anchor sling that should be found on every truck across America due to its endless uses. Throw in our Rigging Carabiner, ideal for use with all OX BLOCK™ products and you've got yourself a rigging kit!

Kit Includes:

- Model **45400G10-9** - 9" Mesh Equipment Bag (Qty: 1)
- Model **5005S5** - Rigging Carabiner (Qty: 5)




Harness-Lanyard Combo U64937Q6

The harness-lanyard combo is universal in size (fits Medium – X-Large) and features Buckingham's new safety green webbing. The H-style harness has flat interlocking chest and leg buckles to ensure comfort and *includes a 4 ½ foot BuckYard lanyard*, a great value add

(see below). Meets ANSI Z359.11, Z359.13 and ASTM F887-13 for arc flash.

*For harness with 6' BuckYard lanyard, order model **U64937Q8***



BuckViz™ BuckYard™ 84V1D16S1

More models, lengths, etc. are available at BuckinghamMFG.com.

Introducing the new BuckViz™ BuckYard™, the same product as the popular BuckYard™ (84V114S1) but in Buckingham's new BuckViz™ green! For full body harness w/web loop dorsal attachment. Expands to 48". 1706 locking snap hook on one end and web loop on the other end. Interior materials stretch to reduce the arresting force to less than 900 lbs.



Featherweight Harness 6398JQ1

Nothing can make a workday worse than a heavy harness and chafing, especially in or around the neck area. While many harness shoulder pads on the market seem to increase irritability and chafing while working overhead, the Buck Featherweight Harness with Anti Chafe Technology achieves the opposite. Buckingham's ACT (Anti Chafe Technology) Collar™ features folded, stitched, and leather lined shoulder straps to reduce neck chafing while working overhead, creating a much more comfortable day on the job. Through advanced design and materials, we've built our lightest harnesses ever.

- Folded, stitched, and leather lined shoulder straps to reduce neck chafing while working overhead.
- Lightweight – just 2.8 lbs.
- Torso adjustment features no cumbersome web tails.
- Hook and Loop adjustable chest strap.
- Aluminum Quick Connect leg strap buckles.
- Breakaway lanyard parking attachment.
- Rappelling loops for self-rescue purposes.
- Dorsal web loop for connection purposes.

OUR LIGHTEST HARNESS EVER!



BuckEssential™ Fall Arrest Harness w/BuckYard Lanyard Kit U64C93Q3

Discover the perfect blend of safety and affordability with the U64C93Q2 Fall Arrest Harness. Crafted from durable nylon with reinforced stitching, this harness guarantees reliability and longevity. Featuring interlocking chest and leg straps, easy torso adjustment, and a secure web loop dorsal attachment, it offers unmatched security and comfort.

- Interlocking chest and leg straps.
- Torso adjustment.
- Reinforced nylon stitching.
- Secure web loop for reliable fall arrest connection.
- H-Style harness for optimal weight distribution and balance.
- Universal sizing for a custom fit.
- Comes with a BuckYard™ (1 Snap) lanyard.




BUCKET HOOK W/TETHER HOLE

The newly designed bucket hook can fit up to a 2 ½" bucket lip and now features a tool tether connection eye. The tether connection eye allows for the Buck Tool Tether **600071** to be attached for extra tool fall protection.

Features:


- An outside hook with a 2 ½" hook opening.
- 40 lb. WLL (3:1 safety factor).
- 2 inside accessory hooks w/15 lb. WLL.
- ¾" inside opening.



**Bucket Hook
w/Tether Hole**
2410



**Bucket Hook w/Tether
Hole & Tool Tether**
2410T



**Bucket Hook
w/Tether Hole & Gate**
2410G



**Bucket Hook w/Tether
Hole, Gate & Tool Tether**
2410GT

BUCKIT™ RESTRAINT KIT

The 126K BuckIt™ Restraint Kit combines the 126R system with the 126R2 and the 126R4 into one kit.



**BuckIt™
Restraint Kit**
126K

BUCKINGHAM ANCHOR STRAP

Great for use when working on a chipper box of a bucket truck to remove snow. Simply choke the sling to the boom and hook in with your bucket harness and lanyard. Sling slides easily along the boom and you have access to the full chipper box and headache rack.



Designed to be used as a personal anchor for human support. This Buck anchor strap with a wear guard has a choking configuration and is small, lightweight, and flexible making it easy to handle and install in the field.

FEATURES:

- Great for use when working on a chipper box of a bucket truck to remove snow. Select states have DOT laws that require the removal of snow from vehicles before operation. Simply choke the sling to the boom of the truck and then hook in with your bucket harness and lanyard. Sling slides easily along the boom and you have access to the full chipper box and headache rack.
- Steel rings allow any type of connector to be hooked to it.
- Comes with a wear protector for wrapping around sharp objects and increases the life of the sling.
- Meets OSHA requirements for being rated to 5,000 lbs.



Anchor Strap
3904J12-4



BuckArrest™
64V114.5S2

For full body harness w/web dorsal loop attachment. 16" shock pack covered by a water resistant nylon tube. Lanyard is a fixed length made from woven nylon with a locking snap hook on one end and web loop on the

other end. Length: 4.5'. For harnesses with a Steel Ring Dorsal Attachment, order Model **6VV114.5S2** for lanyard with snap hooks on both ends.



**Hurtman Bucket Truck
Rescue System**
3813D1Q6

Watch the video at BuckinghamMFG.com/videos

The new BuckViz Safety Green™ bag allows you to deploy the system components from the bottom of the bag rather than reaching all the way to the top of the bag; saving you valuable time in a rescue situation. The new bag was also specifically designed to keep water out of the system allowing it to be permanently mounted to the boom while reducing the possibility of moisture damage to critical components. This design also

prevents the kit components, like the rope and pulley system from inadvertently coming out of the storage bag.

The Buck Hurt Man Rescue system was developed to easily lift an injured or unconscious worker from an aerial basket using a 4:1 mechanical advantage pulley system.



Self Rescue System
301SRK

Also available with two descenders for two-man buckets.

The 301SRK self-rescue system with a bag manufactured out of arc flash rated material.

FEATURES:

- Descender made of light-weight aircraft grade aluminum features an anti-panic release brake, which will stop the descender if the user releases or compresses the descender all the way, making this the go-to product for all of your self-rescue situations.
- The TVAC descent line is compact measuring only 6.8mm and stands up to heat on long descents.
- System packed in a weather-resistant bag that will stand up to an electric arc flash.
- Bag Material withstands 40cal/cm2 electric arc exposure.
- Two rappelling straps to be used with 'H' Style Harness Single Man Rated to 310lbs.

BuckStep™ 2.0
105RSDK1



The BuckStep™ 2.0 is a two-part BuckStep™ suspension trauma relief system designed to alleviate the effects of orthostatic intolerance, also known as suspension trauma. It can be used by users up to 420 lbs. and can be used by either right-handed or left-handed users.

This product allows a victim to immediately deploy a body support system that allows for improved blood circulation and the ability to move and flex muscles until rescue.

The BuckStep™ 2.0 Suspension Trauma System is compact and easy to attach to a full body harness. With small/compact pouches, just 4 ½" x 2" in size. Lightweight - 3.4 oz. (each), 6.8 oz. (pair).

**AERIAL
BASKET COVER**

Vinyl coated nylon cover wraps snugly around standard one-man buckets with a heavy duty sewn in bungee cord and snap to secure itself to the bucket. Includes one grommet hole. Fits up to a 29" square bucket.

Also available with a rigid fiberglass insert, which is perfect for days with heavy snow or heavy rain. Order PN **454551**.



Aerial Basket Cover
Safety Green
4545G9



Aerial Basket Cover
Black
4545B3



Reinforced
Chainsaw Scabbard
4514W

Buckingham's Fiberglass Chainsaw Scabbard has been given a makeover! All fiberglass products are now available in our new and popular safety green color.

The 4514W Chainsaw Scabbard was designed for durability. We took our 4514 chainsaw scabbard and reinforced the chainsaw pocket with 2 layers of durable fiberglass. Adding a chainsaw scabbard to your bucket truck arsenal will allow you to easily access your chainsaw within arm's length.

- Designed to hold most chainsaws.
- Mounts on the inside or the outside of the bucket.
- Reinforced Pocket and sides.
- Springs prevent the scabbard from falling off.



Tool Tray
4510

A fiberglass storage tray that may be hung on the inside or outside of an aerial basket. Can be used to conveniently store cabling and other miscellaneous equipment. Mounts using one pair of **5334** PVC hooks (included).



Chainsaw Holder
for Round Booms
4531R


Accepts chainsaw head and features a ratchet closure to attach to boom. A foam back prevents slippage.



Handle Holder
for Square Booms
45301R

Accepts chainsaw head and features a ratchet closure to attach to boom. A foam back prevents slippage.

08 EQUIPMENT BAGS/ ROPE BAGS



The BuckPack™ Pro 4378

After years of development, we are proud to introduce a truly one-of-a-kind gear bag that has been designed from the ground up to be the most versatile and feature-packed gear bag available!

FEATURES INCLUDE:

- Constructed from heavy-duty water-resistant vinyl and cordura material.
- 12 separate rows of Molle loops throughout the bag.
- Removable gear garage for all your hardware and devices.
- Numerous storage and access options that will not be found on any other gear bag.



Also available without the Gear Garage™
4377



BuckPack™ Mini 4380

The BuckPack™ Mini is a great rope bag option but is also large enough to use for everyday gear storage!

FEATURES INCLUDE:

- MOLLE webbing on the exterior of bag for organization.
- Internal mesh pocket for personals or other small items.
- Constructed of heavy vinyl material for water proofing and durability.
- Large drawstring opening/closing system for optimal fit of stored gear.
- Air Flow shoulder padding that is extremely comfortable. Can be easily released via QC Buckles for stowing shoulder pads in outside pocket for things like airport travel or just getting them out of the way.

THE BUCKPACK™ PRO

After years of development, we are proud to introduce a truly one of a kind gear bag that has been designed from the ground up to be the most versatile and feature packed gear bag available on the market!

MAXIMIZED GEAR CAPACITY + OPTIMIZED ORGANIZATION



NUMEROUS STORAGE & ACCESS OPTIONS THAT WILL NOT BE FOUND ON ANY OTHER GEAR BAG

- Massive front pocket to easily access all your gear.
- No more struggling to access something at the bottom of your bag!




Large Upper Pocket

For helmet, gloves, and other gear you may want to easily access

Name Tag/Company Tag Pocket

Storage For Your Climbers!

Save space and prevent accidental puncture of bag or gear



Gear Garage

- Removable gear garage for all your hardware & devices.
- Prusik storage.
- Handsaw pocket.
- Removable divider if you want to keep clothing or other gear away from gear that might be dirty.

Molle Loops Throughout

Numerous Personal Pockets

Rope (Or Other Gear) Access Pocket

- Allows you to access your rope without having to empty the bag of its contents.
- Great for access in the rain!





BackPack Rope Bag
4469G4P-150

Has padded shoulder straps QC chest strap that helps maintain position and comfort of bag while climbing. 3 outside mesh pockets with hook and loop closure allows user to find hardware and equipment fast and efficiently. Quick adjust friction buckles allow for easy adjustment of straps to find a perfect fit. The fairlead drawstring allows for a secure closure and a carry handle, provides alternative grab and carry.

Suffix:	-120	-150	-200	-225	-300
Rope Length:	120' of 5/8" Rope	150' of 5/8" Rope	200' of 5/8" Rope	225' of 5/8" Rope	300' of 5/8" Rope



XL RopePro™ Deluxe
Pack Attachment
4375

Quickly converts a RopePro™ deluxe bag into a backpack or climbing duffel.



XL RopePro™ Deluxe
4373

The XL RopePro™ Deluxe Bag is water resistant that helps keep equipment dry with a rope access port located in the lid with a cap to keep dirt and water out. Ventilation panels provide air circulation and quick glance identification of material. This bag is perfect for the road and can hold up to 500' of rope. 23" H x 14" W x 22" D. Weight: 4 lbs.



Buck
Throwline Bag
4468G9

The Buckingham ProSeries throw line deployment bag now available in the popular Hi-Vis Green allows the user to conveniently store multiple throw lines in one bag without tangling. Measures: 9" H x 12" Dia.

BUCK ROPE BAG

Features a drawstring closure top and two large carry handles. Durable rubber bottom rubber gliders to help maintain form and keep bag off the ground preventing moisture from seeping in through the bottom. Heavy duty nylon carry handles with reinforced nylon stitching. Measures: 15" H x 12" Dia. Other colors available upon request.



BuckViz™ Buck Rope Bag
45691G4-150



Black Rope Bag
45691B4-150

MESH BAGS

The popular Buckingham mesh equipment bag has a new look. Now available in Hi-Vis Green comes in a variety of different sizes for every piece of equipment from small tools and hardware to saddles, rope and climbers our mesh bags can hold it. Buckingham’s mesh bag makes it

easy to locate items within the bag while allowing airflow pass through to keep things from smelling after a day in the field. Airflow allows for equipment to dry while being stowed. Extremely lightweight. Easily find equipment in your bag without digging everything out.



	BuckViz Green
9"	45400G10-9
18"	45400G10-18
24"	45400G10-24



	Black
18"	45400B8-18
24"	45400B8-24



SAW SCABBARDS

Saw	Saw Model	65156C (p 33)	6515 (p 33)	6515C (p 33)	6015 (p 33)	6015C (p 33)	6223 (p 33)	6515S (p 33)	6515CS (p 33)	6222 (p 33)	6222C (p 33)
Corona	7100-1 AC7249 AC7241	✓	✓	✓	✓	✓	✓	✓	✓		
Fanno	16 20						✓			✓	✓
Gilmour	20, 20B 2011 2011B	✓	✓	✓	✓	✓	✓	✓	✓		
Hastings	P11004	✓	✓	✓	✓	✓	✓	✓	✓		
Jameson	SB-1C SB-2 SB-4 SB-5U PS-3	✓	✓	✓	✓	✓	✓	✓	✓		
Marvin	S-17 S-18 S-19 S-20	✓	✓	✓	✓	✓	✓	✓	✓		

Subject to change - If you have questions, always verify through BuckinghamMFG.com or through our customer service department.

Additional axe covers, pruner covers and circular saw guards are available at BuckinghamMFG.com.



Pole Saw Scabbard

\ Belting: **65156C**
Fits Fanno blades #16 and #17 as well as Mundo Pruning saws. 16" (41 cm) overall length, 16" (41 cm) pocket depth, 4" (10 cm) wide.



Dual Saw Scabbard

\ Belting: **6223C**
\ Leather: **6223**
For curved blade pruning saws with up to a 24" blade. 26" (66 cm) overall length. 21" (53 cm) pocket depth. Small Pocket: Fits curved blade pruning saws up to a 16" blade. 17" (43 cm) overall length. 21" (53 cm) pocket depth.



Saw Scabbard

Leather: **6222**
Fits curved blade hand saws with a 22" and 24" blade. 26" (66 cm) overall length. 21" (53 cm) pocket depth.



Saw Scabbard

\ Belting: **6515C**
\ Leather: **6515**
Fits curved blade hand pruning saws with up to a 16" blade. 3 1/2" (9 cm) x 19 3/4" (50 cm) overall length. 3" (8 cm) x 15" (38 cm) pocket depth.



Pole Saw Scabbard

\ Belting: **6015C**
\ Leather: **6015**
Prevents damage to saw blades and other equipment when not in use. 3 1/2" (9 cm) x 16" (41 cm) overall length, 3" (8 cm) x 15" (38 cm) pocket depth.



Chainsaw Scabbard

\ Belting: **6022C**
\ Leather: **6022**
For use with bar lengths from 16" to 20". 18 1/4" (46 cm) overall length, 17" (45 cm) pocket depth.

OFFICIAL TRAINING PARTNERS

Buckingham Manufacturing is proud to work with the following training partners to provide training on products and systems that we offer.



SAFETYONE
TRAINING

SAFETY ONE TRAINING INC.

Safety One Training was founded with the vision to bring safety and rescue training services to snowcat operators. Since then, the company has grown, and the training programs have expanded into other areas such as utility, telecommunications, governments and military industries, as well as independent contractors. Safety One Training has become a leader in fall protection.

www.safetyoneinc.com



ArborMaster®

See You At The Top!®

ARBORMASTER

ArborMaster Training has been the leader and premier provider of private in-house hands-on customized training programs and regional open-enrollment courses through their innovative Safety, Skill and Productivity education and training for people and organizations who work with, in, and around trees.

www.arbormaster.com



NORTH AMERICAN
TRAINING SOLUTIONS

NATS

NATS mission is to empower people to live and work safely, creating a positive impact, and to be the best version of themselves by inspiring a culture of safety through leadership, sustainability, and integrity. They offer training and educational programs, share knowledge, resources, and tools to increase safety and efficiency in the workplace.

www.northamericantrainingsolutions.com



TOWER SAFETY

Tower Safety and Rescue provide courses with instructors who provide extensive knowledge in rigging, climbing, rescue, and installation. They have SPRAT Level 3 trainers and offer the best of all the rope access industries. Tower Safety is a Cell Tower, SPRAT, and Confine Space and Rescue Safety Training Company providing excellent training in safety and rescue learn, lead and live.

www.towersafety.com

BUCKINGHAM
BUCK
1896

BuckinghamMFG.com